

Product nan	ne	ClearView 3" Jumbo Tabs
Revision date		5-31-17
Section 1	Identification	
Product ID:		3" Jumbo Tabs
Chemical Name: Synonyms:		Trichloro-S-Triazinetrione Trichloroisocyanuric acid; Trichloro-S-Triazinetrione, Symclosene 1,3,5-Trichloro-1,3,5-triazine-2,4,6(1H,3H,5H)-trione,TCCA, Trichlor;
Chemical Formul CAS Number: Product Use:	a:	C ₃ Cl ₃ N ₃ O ₃ 87-90-1 Sanitizer, disinfectant, algaecide for pool/spas, Slow Dissolving, Stabilized
Supplier:	Oreq Corporation 42306 Remington Temecula, CA 925 951-296-5076	
Emergency Phon	ne# C	hemtrec: 1-800-424-9300
Section 2	Hazards identific	cation
GHS CLASSIFICA	ATION:	Ox. Sol. 2 H272, May intensify fire; oxidizer. Acute Tox. 4, H302 Harmful if swallowed Acute Tox 2. H332 Harmful if inhaled Skin corrosion /irritation 1C, H312 Harmful in contact with skin Eye Damage 1, H318 Causes serious eye damage Eye Irritation 1, H319 Causes serious eye irritation Specific Target Organ Toxicity 3, Single Exposure Aquatic Acute 1, H400 - Very toxic to aquatic life Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects
GHS SIGNAL WO	RD:	DANGER
HAZARD PICTOG		
Hazard Statement(s) H272 - May intensify fire; oxidizer H302 - Harmful if swallowed H330 - Fatal if Inhaled H314 - Causes severe eye burns and eye damage H318 - Causes serious eye damage H335 - May cause respiratory irritation H410 - Very toxic to aquatic life with long lasting effects		
Precautionary Statement(s): P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. (In case of inadequate ventilation) wear respiratory protection. P264 - Wash face, hands and any exposed skin thoroughly after handling		

- P270 Do not eat, drink or smoke when using this product
 P280 Wear protective gloves/protective clothing/eye protection/face protection
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking



Product name

ClearView 3" Jumbo Tabs

Revision date

5-31-17

- P220 Keep/Store away from clothing/ combustible materials
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment

Response Statement(s):

P330 - Rinse mouth	
P391 - Collect spillage	
P370 + P378 -	In case of fire: Use plenty of water to extinguish
P305 + P351 + P338 -	IF IN EYES: Rinse cautiously with water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P301 + P312 -	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301 + P330 + P331 -	IF SWALLOWED: Rinse mouth. Do NOT Induce vomiting
P303 + P361 + P353:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower]
P363 – Wash contamina	ated clothing before reuse.
P304 + P340 -	IF INHALED: Remove person to fresh air and keep comfortable for breathing
DO40 Internet allately Oal	

P310 – Immediately Call a POISON CENTER / doctor.

Storage Statement(s):

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

Disposal Statement(s):

P501 - Dispose of contents/container in accordance with national and international regulations

NFPA Ratings (Scale 0-4)	Health = 3, Fire = 0, Reactivity = 2. Special Hazard Warning: OXIDIZER.
HMIS Ratings (Scale 0-4)	Health = 3, Fire = 0, Reactivity = 2

Section 3 Composition / Information on ingredients

Component Trichloro-S-Triazinetri	one <u>CAS Numbe</u> 87-90-1	<u>۲</u>	<u>Percent</u> 99%
Section 4 Fi	rst - aid measures		
Inhalation	Move person to fresh air. If person is mouth, if possible. Get medical atten	0.0	al respiration, preferably by mouth-to- dvice.
Skin contact	Take off contaminated clothing. Rinse 15-20 minutes. Get medical attention	, i	•
Eye contact	Hold eye open and rinse slowly and g contact lenses, if present, after the fin for further treatment advice.		
Ingestion	Get medical advice IMMEDIATELY. Do not induce vomiting unless told to		of water if able to swallow.
Note to Physician Most Important Syn	Probable mucosal damage may cont of the product. ptoms/Effects (Acute and Delayed):	raindicate the use of gastri	c lavage.



Product name

ClearView 3" Jumbo Tabs

Revision date

5-31-17

Acute Symptoms/Effects: Listed below.

Inhalation (Breathing): Respiratory System Effects: Exposure to the solid product or to free chlorine evolving from the product may cause irritation. redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

Skin: Skin Corrosion. Exposure to solid along with moisture may cause redness, Irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

Eye: Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to the internal contents of the eye.

Ingestion (Swallowing): Gastrointestinal Effects: Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

Delayed Symptoms/Effects:-Repeated and prolonged skin contact may cause a dermatitis

Interaction with Other Chemicals Which Enhance Toxicity: None known.

Medical Conditions Aggravated by Exposure: May aggravate preexisting conditions such as: eye disorders that decrease tear production or have reduced integrity of the eye; skin disorders that compromise the integrity of the skin; and respiratory conditions including asthma and other breathing disorders.

Protection of First-Aiders: Protect yourself by avoiding contact with this material. Use personal protective equipment. Refer to Section 8 for specific personal protective equipment recommendations. Avoid contact with skin and eyes. Do not ingest. At minimum, treating personnel should utilize PPE sufficient for prevention of blood borne pathogen transmission.

Notes to Physician: Treat as a corrosive substance. This material is more irritating to the skin and eyes in the presence of water. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. There is no antidote. Cyanuric acid is readily removed from the body via the renal system, and is not bioaccumulated. Treatment is supportive care. Follow normal parameters for airway, breathing, and circulation.

Section 5 Fire - fighting measures

Fire Hazard:	Negligible fire hazard. If heated by outside source to temperatures above 240 C (464 F), this product will undergo decomposition with the evolution of noxious gases but no visible flame. Wet material may generate nitrogen trichloride, an explosion hazard.
Extinguishing Media:	Flood with copious amounts of water, Do not use ABC fire extinguishers, Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents
Fire Fighting:	Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Material which appears undamaged except for being damp on the outside, should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums. Damp material should be neutralized to a non-oxidizing state.
Hazardous Combustic	n Products: Chlorine, Nitrogen, Nitrogen trichloride, Cyanogen chloride, Oxides of carbon,
	Phosgene.



ClearView 3" Jumbo Tabs

Revision date

5-31-17

Physical Hazards Not Otherwise Classified

Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard Contact with water liberates toxic gas

Section 6 Accidental release measures

Personal Precautions:

Keep unnecessary and unprotected persons away. Isolate hazard area and deny entry. Do not get in eyes, on skin or on clothing. Do not breathe dust, fume, gas, mist, vapors, or spray. Wear appropriate personal protective equipment recommended in Section 8, Exposure Controls / Personal Protection, of the SDS. Keep away from combustible materials.

Methods and Materials for Containment and Cleaning Up:

DO NOT add water to spilled material. DO NOT use floor sweeping compounds to clean up spills. Sweep and scoop spilled material into clean, dedicated equipment. Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up. DO NOT attempt to reseal contaminated drums. DO NOT transport wet or damp material. Damp material should be neutralized to a non-oxidizing state.

Environmental Precautions:

This material is very toxic to aquatic life. This material is very toxic to aquatic life with long lasting effects. Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate agencies.

Section 7 Handling and storage

Precautions for Safe Handling:

Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or dust when opening container. Avoid creation of dust. Wash thoroughly after handling. Wear personal protective equipment as described in Exposure Controls/Personal Protection (Section 8) of the SDS. NEVER add water to this product. Always add product to large quantities of water. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products. Keep away from heat, sparks, flame and other sources of ignition.

Safe Storage Conditions:

Store and handle in accordance with all current regulations and standards. (NFPA Oxid1zer Class 1). Store away from open flames, and combustibles. Do not allow water to get in container. If liner is present. tie after each use. Keep container tightly closed and properly labeled. Store containers on pallets. Keep away from food, drink and animal feed. Keep separated from incompatible substances (see below or Section 10 of the Safety Data Sheet). Product has an indefinite shelf life if stored in original container in a cool, dry place.

Incompatibilities/ Materials to Avoid:

Acids, ammonia, bases, floor sweeping compounds, calcium hypochlorite, reducing agents, organic solvents and compounds

GHS: PHYSICAL HAZARDS:

Oxidizing Solid - Category 2 - May intensify tire; oxidizer

Physical Hazards Not Otherwise Classified

Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard Contact with water liberates toxic gas



Product name

ClearView 3" Jumbo Tabs

Revision date

5-31-17

Section 8 Exposure controls / personal protection

Regulatory Exposure Limit(s): None. This product does not contain any components that have regulatory occupational exposure limits (OEL's) established.

OEL: Occupational Exposure Limit; OSHA: United States Occupational Safety and Health Administration; PEL: Permissible Exposure Limit; TWA: Time Weighted Average; STEL: Short Term Exposure Limit

Non-Regulatory Exposure Limit(s): No occupational exposure limits have been established at this time. The Non-Regulatory United States Occupational Safety and Health Administration (OSHA) limits, if shown, are the Vacated 1989 PEL's (vacated by 58FR 35338, June 30, 1993)

The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional Industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and Publishes recommended occupational exposure limits each year called Threshold Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices.

Recommended Exposure Limits (REL's) are non-regulatory occupational exposure limits that the manufacturer has established based on health effects data.

COMPONENT	OXY REL	OXY REL	OXY REL
	8 hr TWA	STEL	Ceiling
Trichloro-s-triazinetrione 87-90-1 (98-100)	0.5 mg/m ³	-	-

Additional Advice:

1. Chlorine and chlorine compounds may be found in slight amounts in the head space of containers of this product.

ENGINEERING CONTROLS: Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear safety glasses with side-shields. Wear chemical safety goggles with a face shield to protect against eye and skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin and Body Protection: Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure. such as Tyvek®. Contaminated clothing should be removed and laundered before reuse.

Hand Protection: Wear appropriate chemical resistant gloves. Consult a glove manufacturer for assistance in selecting an appropriate chemical resistant glove.

Protective Material Types:

Butyl rubber, Natural rubber, Neoprene, Nitrile. Polyvinyl chloride (PVC), Tyvek®



ClearView 3" Jumbo Tabs

Revision date

5-31-17

Respiratory Protection: A NIOSH approved respirator with N95 (dust, fume. mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

Section 9 Physical and chemical properties

Physical State Appearance Color Odor Odor threshold [ppm] Molecular Weight Molecular Formula Decomposition temperature	Solid White granules or tablet-form product White Slight chlorine odor Not determined 232.4 C3N303Cl3 478 "F (248 "C)
Boiling point/range	Not applicable
Freezing point/range	Not applicable
Melting point/range	478 "F (248 "C)
Vapor pressure	<0.002 Pa @ 20 "C
Vapor density (air =1)	Not applicable
Density	2.1 g/ml@ 25 "C
Bulk density	Granular - 0.89-1.1 g/cc
	Tablet - 1.16-1.9 g/cc
Water Solubility	0.98 mg/1 00 g @ 20 "C
рН	2.9- 3.5 @ 25 "C (1% solution)
Volatility	Not applicable
Evaporation rate (ether=1)	Not applicable
Partition Coefficient	0.94±1.00
(n-octanol/water):	Natarriachla
Flash point	Not applicable
Flammability (solid, gas):	Not flammable
Lower Flammability Level (air Upper Flammability Level (air	
Auto-ignition temperature	Not determined
Viscosity	
Explosive properties	Not applicable Not available
Oxidizing properties	Oxidizer
origining properties	

Section 10 Stability and reactivity

Reactivity	Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.
Chemical Stability Possibility of Hazardous Reactions	Stable at normal temperatures and pressures. Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard. Avoid contact with easily oxidizable organic material.
Conditions to avoid	Heating above 225°C (437°F). (e.g., static discharge. shock, or vibration) Page 6 of 12



Product name	ClearView 3" Jumbo Tabs
Revision date	5-31-17
Materials to avoid	Do not package in paper or cardboard. Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.
Hazardous decomposition products	Chlorine, nitrogen, nitrogen trichloride, nitrous oxides, cyanates, carbon monoxide, carbon dioxide.
Section 11 Toxicolog	ical information

IRRITATION DATA: PRIMARY SKIN IRRITATION: Severe Irritation. Corrosive (rabbit, 24 hr) PRIMARY EYE IRRITATION: Severe Irritation, Corrosive (rabbit, 24 hr)

TOXICITY DATA:

PRODUCT TOXICITY DATA: ACL® 90 PLUS CHLORINATING COMPOSITION

LD50 Oral:	LD50 Dermal:	-LC50 Inhalation:
809 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>0.09- <0.29 mg/L (4 hr- Rat)

COMPONENT TOXICITY DATA:

Note: The component toxicity data is populated by the LOLI database and may differ from the product toxicity data given.

COMPONENT	LD50 Oral	LD50 Dermal	LC50 Inhalation
Trichloro-s-triazinetrione 87-90-1	406 mg/kg (Rat)	2000 mg/kg (Rabbit)	50 mg/L (1 hr-Rat)

POTENTIAL HEALTH EFFECTS:

- Eye contact:Eye exposures may cause burns to the eye lids. conjunctivitis, corneal edema, and corneal burn.
Significant and prolonged contact may cause damage to the internal contents of eye.
- Skin contact:Exposure to solid along with moisture may cause redness. irritation, burning sensation, swelling,
blister formation, first, second, or third degree burns. Dry material is less irritating than wet material.
This material is not a skin sensitizer based on studies with guinea pigs.
- Inhalation: This material in the form as sold IS not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath. bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.
- **Ingestion:** Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to epiglottis, mucus membranes of the mouth, esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.
- **Chronic Effects:** None identified for the parent chemical. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.



ClearView 3" Jumbo Tabs

Revision date 5-31-17

SIGNS AND SYMPTOMS OF EXPOSURE:

Inhalation (Breathing): Respiratory System Effects: Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing. laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

Skin: Skin Corrosion. Exposure to solid along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

Eye: Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to the internal contents of the eye.

Ingestion (Swallowing): Gastrointestinal Effects: Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning. inflammation, local ulceration, and may cause gastrointestinal bleeding.

TOXICITY:

Monosodium cyanurate was administered via drinking water to rats for 104 weeks at concentrations of 0, 400, 1200, 2400, and 5375 ppm (solubility limit). No compound-related effects on body weights, clinical signs of toxicity or food or water consumption were noted during the study. An increased incidence of gross les1ons 1n the urinary tract, calculi in the kidney and lesions in the heart were observed in males receiving the highest dose level of 5375 ppm (solubilitylimit). The health effects seen 1n th1s study were due to precipitation of the test substance in the urinary tract when the test substance was fed at the solubility limit. Adverse health effects were not seen at lower doses where precipitation did not occur.

Interaction with Other Chemicals Which Enhance Toxicity: None known.

Skin Absorbent / Dermal Route? No.

Carcinogenicity comment: This product is not classified as a carcinogen by NTP, I ARC or OSHA.

MUTAGENIC DATA:

Not classified as a mutagen per GHS critena. Not mutagenic in 5 Salmonella strains and 1 E. coli strain with or without mammalian microsomal activation.

REPRODUCTIVE TOXICITY:

Not classified as a reproductive toxin per GHS criteria. There are no known or recorded effects on reproductive function or fetal development.

Section 12 Ecological information

ECOTOXICITY DATA:

Fish Toxicity:	LC50 Bluegill sunfish: 0.23- 0.40 mg/1 (96 hr.) Rainbow trout: 0.24- 0.37 mg/1 (96 hr.)
Algae Toxicity:	LC50 Green algae: <0.5 mg/L (3 hour)
Invertebrate Toxicity:	LC50 Water flea: 0.17- 0.80 mg/L (48 hr.)
Other Toxicity:	LD50 Mallard duck (oral): 1021 - 1631 mg/kg
	LD50 N. Bobwhite Quail (oral): 1638 mg/kg
	LD50 Mallard duck (diet): >10,000 ppm
	LD50 N. Bobwhite Quail (diet): >7422 ppm

FATE AND TRANSPORT:

BIODEGRADATION: This material is subject to hydrolysis. Cyanuric acid produced by hydrolysis is biodegradable.



ClearView 3" Jumbo Tabs

Revision date

5-31-17

PERSISTENCE: This material is believed not to persist in the environment. Free available chlorine is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid.

BIOCONCENTRATION: This material hydrolyses in water liberating free available chlorine and cyanuric acid. These products are not bioaccumulative.

ADDITIONAL ECOLOGICAL INFORMATION: This product is very toxic to fish and aquatic organisms. This product is very toxic to aquatic life with long lasting effects. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of appropriate regulatory requirements (e.g. permit and the permitting authority has been notified in writing prior to discharge). Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your local or regional regulatory water boards and/or other appropriate regulatory offices.

Section 13 Disposal considerations

Waste from material:

Use or reuse if possible. This material is a registered pesticide. May be subject to disposal regulations. Dispose in accordance with all applicable regulations. Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. DO NOT transport wet or damp material. Damp material should be neutralized to a non-oxidizing state.

Container Management:

See product label for container disposal information. Dispose of container in accordance with applicable local, regional, national, and/or international regulations. Container rinsate must be disposed of in compliance with applicable regulations.

Section 14 Transport information

LAND TRANSPORT

U.S. DOT 49 CFR 172.101: Status:	Regulated. For ground or air shipments only, non-bulk packages are regulated as oxidizers. Bulk Packaging or Shipment by Vessel: Regulated as follows:
UN NUMBER:	UN2468
PROPER SHIPPING NAME: HAZARD CLASS/ DIVISION: PACKING GROUP: LABELING REQUIREMENTS: MARINE POLLUTANT:	Trichloroisocyanuric Acid, Dry, Marine Pollutant 5.1 II 5.1, Marine Pollutant Trichloroisocyanuric Acid
	Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.



ClearView 3" Jumbo Tabs

Revision date

5-31-17

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: Status: Regulated. For ground or air sh

Regulated. For ground or air shipments only, non-bulk packages are regulated as oxidizers. Bulk Packaging or Shipment by Vessel: Regulated as follows:.

UN NUMBER:UN2468SHIPPING NAME:Trichloroisocyanuric Acid, Dry, Marine PollutantCLASS OR DIVISION:5.1PACKING/RISK GROUP:IILABELING REQUIREMENTS:5.1, Marine PollutantCAN. MARINE POLLUTANT:Trichloroisocyanuric Acid

MARITIME TRANSPORT (IMO /IMDG) : Status- IMO /IMDG: Shipment by Vessel: Regulated UN NUMBER: UN2468 PROPER SHIPPING NAME: Trichloroisocyanuric Acid, Dry, Marine Pollutant

HAZARD CLASS / DIVISION:	5.1
Packing Group:	II
LABELING REQUIREMENTS:	5.1, Marine Pollutant
MARINE POLLUTANT:	Trichloroisocyanuric Acid

Section 15 Regulatory information

U.S. REGULATIONS

OSHA REGULATORY STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 191 0.1200)

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

Not regulated.

SARA EHS Chemical (40 CFR 355.30)

Not regulated

EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.10):

Fire Hazard, Reactive Hazard, Acute Health Hazard

SARA HAZARQCATEGORIES ALIGNED WITH GHS (2018)

Physical Hazard - Oxidizer Health Hazard- Acute Toxin Health Hazard- Skin Corrosive /Irritant Health Hazard -Eye Corrosive /Irritant

EPCRASECTION 313 (40 CFR 372.65): Not regulated OSHA PROCESS SAFETY (PSM) (29 CFR_1910,119); Not regulated

FIFRA REGULATIONS: Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), EPA Reg. No. 935-37 (ACL® 90 Plus Chlorinating Composition)



ClearView 3" Jumbo Tabs

Revision date

5-31-17

FIFRA LABELING REQUIREMENTS: - This chemical is a pesticide product registered by the United States Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

- FIFRA Signal Word- DANGER
- Corrosive
- Causes irreversible eye damage and skin burns
- May be fatal if swallowed
- Harmful if absorbed through skin or inhaled
- This pesticide is toxic to fish and aquatic organisms
- Strong oxidizing agent
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Decomposes at temperatures above 437 oF with liberation of harmful gases with liberation of harmful gases
- When ignited will burn with the evolution of chlorine and equally toxic gases
- NEVER add water to product
- Always add product to large quantities of water
- Use only clean and dry utensils
- DO NOT add this product to any dispensing device containing remnants of any other product
- Such use may cause a violent reaction leading to fire or explosion
- Contamination with moisture. organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion

NATIONAL INVENTORY STATUS

U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA): All components are listed or exempt. TSCA 12(b): This product is not subject to export notification.

Canadian Chemical Inventory: All components of this product are listed on either the DSL or the NDSL.

Component	DSL	NDSL
Trichloro-s-triazinetrione	Listed	Not Listed
87-90-1		

STATE REGULATIONS

California Proposition 65: This product and its ingredients are not listed.

Component	California Proposition 65 Cancer WARNING	California Proposition 65 CRT List Male reproductive toxin	California Proposition 65 CRT List Female reproductive toxin	Massachusetts Right to Know Hazardous Substance List	New Jersey Right to Know Hazardous Substance List	New Jersey Special Health Hazards Substance List
Trichloro-s- triazinetrione 87-90-1	Not Listed	Not Listed	Not Listed	Not Listed	1892	Not Listed

Component	New Jersey- Environment al Hazardous Substance List	Pennsylvania Right to know Hazardous Substance List	Pennsylvania Right to Know special Hazardous Substances	Pennsylvania Right to Know Environmental Hazard List	Rhode Island Right to Know Hazardous Substance List
Trichloro-s-triazinetrione 87-90-1	Not Listed	Listed	Not Listed	Not Listed	Listed



ClearView 3" Jumbo Tabs

Revision date

5-31-17

CANADIAN REGULATIONS

•This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations

Component	Canadian Chemical Inventory:	NDSL:	WHMIS – Classifications of Substances:
Trichloro-s-triazinetrione	Listed	Not Listed	C,D1B,D2B

Section 16 Other information

DATE OF PREPARATION 5-31-17

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.