

Product name

ClearView Bromo Tabs

Revision date

Section 1

2-10-2016

Product ID:		Bromo Tabs
Chemical name		1,3-Dibromo-5,5-dimethylhydantoin
Synonym(s)		BCDMH, Halobrom
Chemical formula		C 5 H 6 BrCIN 2 O 2
Chemical family		Halogenated hydantoin
Molecular weight		241.5
Product Use:		Sanitizer - 1" tablets for use in bromine feeders
Supplier:	Oreq Corporation 42306 Remington Ave Temecula CA 92590 (951) 296-5076	2.

Identification

Emergency Telephone:

CHEMTREC: 1-800-424-9300

Section 2 Hazards identification

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

GHS classification

Acute Tox. 4, H302 Harmful if swallowed Skin Corr. 1B, H314 Causes severe skin burns and eye damage Skin Sens. 1, H317 May cause an allergic skin reaction Aquatic Acute 1, H400 - Very toxic to aquatic life

Labels and other form of warning Symbol(s)



Signal Word

DANGER

Hazard statements H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

EUH031 - Contact with acids liberates toxic gas

Precautionary statements P260 - Do not breathe dust/fume/gas/mist/vapors/spray P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2-10-2016

Product name

ClearView Bromo Tabs

Revision date

Section 2 Hazards identification (Continued)

P310 - Immediately call a POISON CENTER or doctor/physician

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off all contaminated clothing and wash it before reuse

P391 - Collect spillage

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

P405 - Store locked up

P501 - Dispose of contents/container in accordance with national and international regulations.

NFPA Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 1. Special Hazard Warning: OXIDIZER. **HMIS Ratings (Scale 0-4)** Health = 3, Fire = 0, Reactivity = 1.

Section 3 Composition / Information on ingredients

<u>Components</u>	CAS No.	<u>Weight %</u>
1,3-Dibromo-5,5-dimethylhydantoin	32718-18-6	96-99.5

Section 4 First - aid measures

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison
	control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance,
	then give artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
Ingestion	Call poison control center, or doctor immediately for treatment advice.
U	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	be not give anything by mount to an anothonous person.

Most important symptoms and effects, acute or delayed

- Eye Contact	Corrosive
	May cause temporary or permanent eye damage.
 Skin contact 	Exposure to wet skin may cause severe irritation
	May cause skin sensitization
- Inhalation	Irritant to upper respiratory tract.
	Shortness of breath, headache and nausea.
Note to physician	Corrosive
	No specific antidote.
	In case of ingestion DO NOT induce vomiting.
	Treat symptomatically and supportively.
	Probable mucosal damage may contraindicate the use of gastric lavage.



Product name

ClearView Bromo Tabs

Revision date	2-10-2016
Section 5 Fire - fighting n	neasures
Suitable extinguishing media	Dry powder or carbon dioxide. Water may be ineffective. In case of exothermic decomposition and appearance of smoke, water should be used to suppress it.
Extinguishing media not to be Used.	Do not use dry chemical extinguisher containing ammonia compounds.
Unusual fire and explosion Hazards	Forms explosive mixtures with combustible, organic or other easily oxidizable materials. When heated to decomposition, may release poisonous and corrosive fumes. Dust may form a weak explosive mixture with air (class St1), but is not sensitive to ignition from electrostatic discharges.
Fire fighting procedure	Cool containers with water spray. In closed stores, provide fire-fighters with self-contained breathing apparatus in positive pressure mode.
Section 6 Accidental relea	ase measures
Personal precautions	Evacuate area. Use respirator with combined filter (inorganic gas and dust), gloves, chemical safety goggles and body covering clothes. If material is decomposing, use self-contained breathing apparatus and a fully encapsulated suit.
Methods for cleaning up Environmental precautions	Sweep up, place in a suitable container and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. Prevent entry into sewers and watercourses
Section 7 Handling and s	torage
Handling	Keep containers tightly closed.
Storage	Keep away from all sources of ignition. Recommended storage temperature below 30°C. For transportation purposes it is possible to store at temperatures up to

Section 8 Exposure controls / personal protection

<u>Components</u>	ACGIH-TVL Data	OSHA (PEL) Data
1,3-Dibromo-5,5-dimethylhydantoin	Not Determined	Not Determined
32718-18-6		

(see "materials to avoid").

Manufacturer's TLV-TWA Recommendation 0.1 mg/m³

-

Ventilation requirements

Use local exhaust as necessary, especially under dusty conditions. Ventilation must be sufficient to maintain atmospheric concentration below recommended exposure limit.

50°C. Store in a dry, well-ventilated area. Store away from incompatible materials



Product name

ClearView Bromo Tabs

Revision date

2-10-2016

Section 8 Exposure controls / personal protection (Continued)

Personal protective equipment: - Respiratory protection - Hand protection - Eye protection - Skin and body protection	Respirator with combined filter (inorganic gas and dust). Neoprene gloves Chemical safety goggles Body covering clothes and boots
Hygiene measures	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.

Section 9 Physical and chemical properties

Appearance Melting point/range Boiling point/range Flash point Evaporation rate (ether=1)	White to off-white tablet with faint halogenous odour Not applicable (decomposes) Not applicable Not applicable Not applicable under standard conditions
Flammable/Explosion limits Vapor pressure	Not available 9.35x10(-3) Pa (25°C)
Vapor density	Not applicable under standard conditions
Solubility:	
- Solubility in water	0.22 g/100ml at 25°C
- Solubility in other solvents	Benzene: 2.5 g/100g at 25°C
Partition coefficient	
(n-octanol/water)	Kow = <1 (pH 5-9)
Auto-ignition temperature	Not available
Decomposition temperature	>160°C
Specific gravity	1.8-2.0
Explosive properties	Dust may form a weak explosive mixture with air (class St1), but is considered insensitive to ignition from electrostatic discharges.
Oxidising properties	Not sufficient for classification as oxidizer (Method A17 & UN Test O.1)
Particle size	Not available

Section 10 Stability and reactivity

Reactivity Stability Possibility of hazardous reactions	Combustible materials. Oxidizing agents. Bases. Stable under normal conditions Contact with combustible materials may initiate decomposition of the material and emission of smoke.
Conditions to avoid Materials to avoid	Exposure to moisture. Heating above decomposition temperature. COMBUSTIBLE ORGANIC MATERIALS Bases Oxidizing agents
Hazardous decomposition products	CO, HBr, Cl2, NOx, HCI, CO2



2-10-2016

Product name

ClearView Bromo Tabs

Revision date

Section 11 Toxicological information

Likely Routes of Exposure	Skin
	Eye contact
	Inhalation
Acute toxicity:	
- Rat oral LD50	929 mg/kg
- Rat inhalation LC50	1.1 mg/l/4 hour (powder)
 Dermal irritation (rabbit) 	Corrosive
Dermal sensitization	Sensitizer.
Chronic toxicity	Prolonged skin contact may cause sensitization
Mutagenicity	Mutagenic by the Ames Test
	Mutagenic in the mouse lymphoma L5178Y test system.
	Non genotoxic in an in-vivo micronucleus test in mice
	Non genotoxic in an in-vivo liver unscheduled DNA synthesis (USD) assay
Carcinogenicity	Not classified by IARC
	Not included in NTP 12th Report on Carcinogens

Section 12 Ecological information

Aquatic toxicity : - 96 Hour-LC50, Fish	 1.2 mg/l (Eastern oyster, Acute flow through) 1.9 mg/l (Mysid shrimp, Acute flow through) 0.4 mg/l (Rainbow trout, Static) 0.46 mg/l (Bluegill sunfish, Static) 1.6 mg/l (Sheepshead minnow, Acute flow through)
- 48 hour-LC50, Daphnia mag	na 0.75 mg/l (Static)
Avian toxicity: - Oral LD50, Bobwhite quail - Dietary LC50, Mallard duck - Dietary LC50, Bobwhite qua	
Persistence and degradability	BCDMH and the main degradation product DMH are biodegradable and do not persist in the environment
Bioaccumulative potential	Based on low Kow values, i.e less than 1, BCDMH would not be predicted to significantly accumulate in aquatic organisms, or sorb to organic material in soil or sediment.
Mobility in soil	There will be no exposure of BCDMH to soil. The main degradation product DMH is mobile in soil.
Germany, water endangering classes (WGK)	2
Section 13 Disposal consid	erations

Section 13 Disposal considerations

Waste disposal	Dispose of in approved landfill sites or an approved incinerator. Avoid access to streams, lakes or ponds. Observe all federal, state and local environmental regulations when disposing of this material.
Disposal of Packagir	g Crush and bury empty containers. Do NOT throw into public waste disposal site. Avoid contact with organic materials
	and moisture. See conditions to avoid (Section 10)



Product name	ClearView Bromo Tabs
Revision date	2-10-2016
Section 14 Transport inform	nation
DOT UN number: Proper shippin Class: Label: Packing Group Marking:	1,3-Dibromo-5,5-dimethylhydantoin 5.1 - Oxidizing substances OXIDIZER (5.1)
Section 15 Regulatory information	
USA - Emergency overview in	This product is registered under FIFRA (CAS #16079-88-2) TSCA: EPA Number P-94-34 Subject to reporting under SNUR (Significant New Use Rule) -any use, 60 CFR 11037 DANGER
accordance to EPA Master Label	Corrosive Causes irreversible eye damage and skin burns Eye contact may cause loss of vision Harmful if inhaled Irritating to nose and throat Harmful if absorbed through skin or swallowed This product is toxic to fish and aquatic organisms. Strong oxidizing agent
- SARA 313	This product does not contain a chemical listed at or above de minimis concentrations
- SARA (311, 312) - Waste Classifications	This product is a hazardous chemical under 29CFR 1910.1200, and categorized as an immediate and delayed health, and reactivity physical hazard Not listed under CERCLA. If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number:D001.
EU EC No. Japan New Zealand Inventory China - China inventory Philippines	Reported in EINECS 251-171-5 ENCS No. 5-6368 Listed in NZIoC Listed in IECSC Listed in PICCS
i iiiippines	

Section 16 Other information

DATE OF PREPARATION 2-10-2016

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.