

Product name Clearview Calcium Increaser

Revision date 5-14-15

Section 1 Identification

Product ID: Calcium Increaser

Chemical Name: Calcium Chloride

Synonyms: Calcium Chloride Flake

**CAS Number:** 10043-52-4

Product Use: Increases Calcium Hardness

**Supplier:** Oreq Corporation

42306 Remington Ave. Temecula, CA 92590

951-296-5076

Emergency Phone# - CHEMTREC: 800-424-9300

Section 2 Hazards identification

GHS CLASSIFICATION: Acute Oral Toxicity Category 4

Serious Eye Damage/Eye Irritation Category 2

GHS SIGNAL WORD: WARNING

**HAZARD PICTOGRAMS:** 

Appearance: White Physical State: Flake Odor: Odorless

**Hazard Statement(s)** 

H302 Harmful if swallowed H316 Causes mild skin irritation H319 Causes serious eye irritation

**Precautionary Statement(s):** 

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell

P330 - Rinse mouth

P280 - Wear protective gloves/protective clothing/eye protection/face protection



Product name Clearview Calcium Increaser

Revision date 5-14-15

## Section 3 Composition / Information on ingredients

Chemical Name	CAS-No	Weight %
Calcium Chloride	10043-52-4	74-100
Water	7732-18-5	0-26
Sodium Chloride	7647-14-5	< 3
Potassium Chloride	7447-40-7	< 3
Magnesium Chloride	7786-30-3	< 0.5

Section 4 First - aid measures

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye

wide open while rinsing. Obtain medical attention if irritation persists.

Skin Contact: Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and

persists.

**Inhalation:** Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell Rinse mouth.

**Notes to Physician:** Treat symptomatically and supportively.

## Section 5 Fire - fighting measures

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

None

### **Specific Hazards Arising from the Chemical**

Avoid generating dust, under certain conditions may cause respiratory irritation. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### **Explosion Data**

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Section 6 Accidental release measures

#### **Personal Precautions:**

Avoid contact with the skin and the eyes. Use personal protective equipment. Avoid dust formation.

#### **Environmental Precautions:**

Prevent large spills from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12,



Product name Clearview Calcium Increaser

Revision date 5-14-15

# Section 6 Accidental release measures (Continued)

Ecological Information.

#### Methods and Materials for Containment and Cleaning Up:

Small and large spills: Contain spilled material if possible. Collect in suitable and properly labeled containers. Flush residue with plenty of water. See Section 13, Disposal considerations, for additional information.

# Section 7 Handling and storage

Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and

accumulation. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Wash clothing before reuse. Always use cool water when dissolving Calcium Chloride. Heat evolved is

significant.

**Storage:** Store in a tightly closed container. Store in a cool, dry, well-ventilated area away

from incompatible substances. Store protected from moisture. Store below melting point.

**Incompatible Products:** Zinc, Bromine tri-fluoride, Methyl vinyl ether

## Section 8 Exposure controls / personal protection

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Chloride	ACGIH - (TLV-TWA) Guidelne	OSHA (PEL-TWA) - Z-3 Mineral	-
10043-52-4	for nuisance particulate	Dusts, Inert or Nuisance dusts,	
	(inhalable particulate): 10 mg/m3	(respirable fraction): 5 mg/m3	

**Engineering Measures** Provide local exhaust ventilations system. When there is a potential for exposure, an

emergency eyewash and safety shower should be provided within the immediate work area.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses with non-flexible side shields or chemical goggles

Skin and Body Protection Hands and Feet:

Wear appropriate protective non-leather protective gloves and boots. Chemical protective gloves and boots such as PVC, Neoprene, or Heavy Nitrile are recommended. Leather products do not offer adequate protection and will dehydrate with resultant shrinkage and

possible destruction.

Body: Wear appropriate protective, impervious clothing.

**Respiratory Protection** A respirator is not indicated under normal operating conditions. Use of a NIOSH - approved

respirator (N95 or greater) should be based on the presence of nuisance dusts.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-

use. Provide regular cleaning of equipment, work area and clothing.



Product name Clearview Calcium Increaser

Revision date 5-14-15

## Section 9 Physical and chemical properties

Physical State: Flake Appearance: white Odor: odorless

pH: 8-10 100 g/l aq.sol. Vapor Pressure: Not available. Vapor Density: Not available. Evaporation Rate: Not available.

Viscosity: Not available.

**Boiling Point:** > 1600 deg C @ 760.0 **Freezing/Melting Point:** 782 deg C

**Decomposition Temperature:** Not available.

Solubility: 740 g/l water (20°C)

Specific Gravity/Density: Not available.

Molecular Formula: CaCl2 Molecular Weight: 110.99

## Section 10 Stability and reactivity

Chemical Stability: Stable.

**Conditions to Avoid:** Dust generation, excess heat, exposure to moist air or water. **Incompatibilities with Other Materials:** Zinc, Bromine tri-fluoride, Methyl vinyl ether

Hazardous Decomposition Products: Hydrogen chloride, calcium oxide.

Hazardous Polymerization: Will not occur.

## Section 11 Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Irritating to eyes. **Skin Contact** May cause irritation. **Ingestion** Harmful if swallowed.

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium Chloride	= 1000 mg/kg ( Rat )	= 2630 mg/kg ( Rat )	-
Potassium Chloride	= 2600 mg/kg ( Rat )	-	-
Sodium chloride	= 3 g/kg ( Rat )	> 10 g/kg(Rabbit)	> 42 g/m3 ( Rat ) 1 h

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause irritation to the respiratory system.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Eye damage/irritation Irritating to eyes.

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity Contains no ingredients above reportable

quantities listed as a carcinogen.

**Reproductive Toxicity**STOT - single exposure
No information available.
No information available.



Product name Clearview Calcium Increaser

Revision date 5-14-15

## Section 11 Toxicological information (Continued)

**STOT - repeated exposure**Chronic Toxicity
Aspiration Hazard
No information available.
Avoid repeated exposure.
No information available.

**Numerical measures of toxicity - Product** 

Acute Toxicity 0% of the mixture consists of ingredient(s) of

unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 979 mg/kg; Acute toxicity estimate

LD50 Dermal 2630 mg/kg; Acute toxicity estimate

## Section 12 Ecological information

#### **Ecotoxicity**

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Calcium Chloride 10043-52-4		LC50 96 h: = 10650 mg/L static (Lepomis macrochirus)		LC50 48 h: = 2400 mg/L (Daphnia magna)
Potassium Chloride 7447-40-7	EC50 72 h: = 2500 mg/L (Desmodesm us subspicatus)	LC50 96 h: 750-1020 mg/L static (Pimephales promelas) LC50 96 h: = 1060 mg/L static (Lepomis macrochirus)		EC50 48 h: = 825 mg/L (Daphnia magna) EC50 48 h: = 83 mg/L Static (Daphnia magna)
Sodium chloride 7647-14-5		LC50 96 h: 5560 - 6080 mg/L flow-through (Lepomis macrochirus) LC50 96 h: = 12946 mg/L static (Lepomis macrochirus) LC50 96 h: 6020 - 7070 mg/L static (Pimephales promelas) LC50 96 h: = 7050 mg/L semi-static (Pimephales promelas) LC50 96 h: 6420 - 6700 mg/L static (Pimephales promelas) LC50 96 h: 4747 - 7824 mg/L flow-through (Oncorhynchus mykiss)		EC50 48 h: = 1000 mg/L (Daphnia magna) EC50 48 h: 340.7 - 469.2 mg/L Static (Daphnia magna)

# Section 13 Disposal considerations

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

## Section 14 Transport information

US DOT – Not Regulated
TDG – Not Regulated
MEX – Not Regulated



Product name Clearview Calcium Increaser

Revision date 5-14-15

## Section 15 Regulatory information

#### **International Inventories**

TSCA Complies DSL Complies

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **U.S. State Regulations**

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

# Section 16 Other information

HMIS Rating
Health hazard: 1
Flammability: 0
Physical Hazard 1

NFPA Rating
Health hazard: 1
Fire Hazard: 0
Reactivity Hazard: 1

#### DATE OF PREPARATION 5-14-15

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.