

KIT.SDS

| Product name | ClearView Spring Start-Up Chlorine |
|--------------|------------------------------------|
| | Kit Part # SS1500 |

Revision date

1-12-17

ATTACHED -

SS1500

Kit Component SDS's – Qty 4

- 1. Clearview Mineral Magnet
- 2. Clearview Super Crystal Clarifier
- 3. Clearview Poly Power 30
- 4. Clearview Shimmer Shock

DATE OF PREPARATION

1-12-17

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



SAFETY DATA SHEET

ClearView Mineral Magnet

| Revision date | 4-18-15 |
|---|--|
| Section 1 Identifica | ation |
| Product ID: Synonyms: Product Category: Product Use: | Mineral Magnet HEDP: 1-Hydroxyethlydene-1, 1-diphosphonic acid Phosphonate Stain Remover, Removes metals from pool water and metal stains and scale from surfaces. |
| | mington Avenue a, CA 92590 |
| Emergency Phone# | Chemtrec: 1-800-424-9300 |
| Section 2 Hazards | identification |
| Warning Da GHS Hazard Phrases: | H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. |
| | H371 - May cause damage to organs . |
| GHS Precaution Phrases: | |

P363 - Wash contaminated clothing before reuse.

Page 1 of 9



| Product name | ClearView Mineral Magnet |
|---|--|
| Revision date | 4-18-15 |
| Section 2 Hazards ic | lentification (Continued) |
| GHS Storage and Disposal Phrases: | P405 - Store locked up. P501 - Dispose of contents/container .in accordance with all federal, state and local Regulations… |
| OSHA Regulatory Status: Potential Health Effects (Acute and Chronic): | This material is classified as hazardous under OSHA regulations. Chronic: None. |
| Inhalation: | Material is irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled. Mist may be severely irritating to nose, throat and lungs depending on concentration and d uration of exposure. |
| Skin Contact: | Causes skin irritation. Skin Absorption: May be harmful if absorbed through the skin. Corrosive, causes permanent skin damage (scarring). |
| Eye Contact: | Causes severe eye irritation. Corrosive. Will cause eye burns and permanent tissue damage. |
| Ingestion: | Corrosive to mouth, esophagus and stomach. Harmful if swallowed. Low order of Toxicity. |

Section 3 Composition / Information on ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration | RTECS # |
|------------|---|---------------|-----------|
| 2809-21-4 | 1-Hydroxyethylidene-1,1-diphosphonic acid | 32 - 34 % | SZ8562100 |
| 13598-36-2 | Phosphorous acid, Ortho | <2.0 % | SZ6400000 |

Section 4 First - aid measures

| Emergency and First Aid Procedures: | In case of adverse exposure to vapors and/or aerosols, immediately remove the affected victim from exposure and get immediate medical attention. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration. |
|--|---|
| In Case of Inhalation: | If inhaled, remove to fresh air. If breathing is difficult, give oxygen. |
| In Case of Skin Contact: | In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician. |
| In Case of Eye Contact: | In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician. |
| In Case of Ingestion: | If swallowed, wash out mouth with water provided person is conscious. Call a physician. |
| Signs and Symptoms Of Exposure: | The chemical, physical, and toxicological properties of this product have not been thoroughly investigated. |
| Note to Physician: | Treat symptomatically and supportively. Page 2 of 9 |



| Product name | ClearView Mineral Magnet |
|---------------|--------------------------|
| Revision date | 4-18-15 |

Section 5 Fire - fighting measures

| Flammability Classification: Flash Pt: Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Unsuitable Extinguishing Media: | Unknown. |
|--|---|
| Fire Fighting Instructions: | Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. |
| Flammable Properties and Hazards: | No data available. |
| Section 6 Accidenta | al release measures |
| Steps To Be Taken In Case Material Is Released Or Spilled: | PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. Evacuate area. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Methods for cleaning up. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. |
| Section 7 Handling | and storage |
| Precautions To Be Taken in Handling: | "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of. Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. |
| Precautions To Be Taken in Storing: | No special storage requirements. |
| Section 8 Exposure | controls / personal protection |
| CAS # Partial Chemi | cal Name OSHA TWA ACGIH TWA Other Limits |

| 2809-21-4 | 1-Hydroxyethy acid | lidene-1,1-diphosphonic | PEL: Not Available | TLV: Not Available | Not Available |
|---------------|-----------------------|-------------------------|-------------------------|--------------------------|---------------|
| 13598-36-2 | Phosphorous a | acid, Ortho | PEL: Not Available | TLV: Not Available | Not Available |
| Respiratory E | auipment | Use respirators and cor | nponents tested and app | proved under appropriate | aovernment |

Respiratory Equipment
(Specify Type):Use respirators and components tested and approved under appropriate government
standards such as NIOSH (US) or CEN (EU). Where risk assessment shows
air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN
143) respirator. Respirator protection is not normally required.



ClearView Mineral Magnet

Revision date

4-18-15

Section 8 Exposure controls / personal protection (Continued)

| Eye Protection: Protective Gloves: Other Protective Clothing: | Splash proof safety goggles. Hand: Compatible chemical-resistant gloves. Where splashing is possible, full chemically resistant protective clothing (e.g. acid suit) and boots are required. |
|---|---|
| Engineering Controls (Ventilation etc.): | Safety shower and eye bath. Mechanical exhaust required. There are no special ventilation requirements. |
| Work/Hygienic/Maintenance Practices: | Wash thoroughly after handling. |

Section 9 Physical and chemical properties

| Physical States: Appearance and Odor: | [] Gas [X] Liqu None to slight o | dor. |
|--|--|-----------------|
| Freezing Point: | Clear colorless t | to light straw. |
| Boiling Point: | NA | |
| Decomposition Temperature: | | |
| Autoignition Pt: | NP | |
| Flash Pt: | NP | |
| Explosive Limits: | LEL: N.A. UEL: | N.A. |
| Specific Gravity (Water = 1): | ~ 1.444 at 25.0 | C (77.0 F) |
| Density: | ~ 12.0 LB/GA | |
| Bulk density: | NA | |
| Vapor Pressure (vs. Air or | NA | |
| mm Hg): | | |
| Vapor Density (vs. Air = 1): | NA | |
| Evaporation Rate: | NA | |
| Solubility in Water: | Complete NA | |
| Saturated Vapor Concentration: | NA | |
| Viscosity: | NA | |
| Octanol/Water Partition | | |
| Coefficient: | Not Available | |
| pH: | < 2 | |
| Percent Volatile: | ~ 38.00 % by we | eight. |
| VOC / Volume: | NP | 0 |
| Particle Size: | NP | |
| Heat Value: | NP | |
| Corrosion Rate: | NA | |
| Molecular Formula & Weight: | C2H8O7P2 | 206.028 |

Section 10 Stability and reactivity

| Reactivity: | Substantial heat is evolved when mixed with alkali. |
|-----------------------|---|
| Stability: | Unstable [] Stable [X] |
| Conditions To Avoid - | Contact with common metals produces flammable hydrogen gas. |



ClearView Mineral Magnet

Revision date

4**-18-15**

Instability:

Section 10 Stability and reactivity (Continued)

| Incompatibility - Materials To Avoid: | Strong oxidizing agents and strong alkali. |
|---|--|
| Hazardous Decomposition Or Byproducts: | Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine. Carbon dioxide. |
| Possibility of Hazardous Reactions: | Will occur [] Will not occur [X] |
| Conditions To Avoid - Hazardous Reactions: | No data available. |

Section 11 Toxicological information

| Toxicological Information: | Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: CAS# 2809-21-4: |
|----------------------------|---|
| | Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 40.00 MG/KG, female 7 day(s) after conception. Result: |
| | Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). - Shika Igaku. Odontology., Vol/p/yr: 50,879, 1987 |
| | Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 200.0 MG/KG, female 7 day(s) after conception. |
| | Result: Specific Developmental Abnormalities: Craniofacial (including nose and tongue). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). |
| | - Journal of Osaka Dental University., Vol/p/yr: 20,91, 1986 Reproductive Effects:, TDLo, Subcutaneous, Mouse, 200.0 MG/KG, female 13 day(s) after conception. Result: |
| | Specific Developmental Abnormalities: Musculoskeletal system. - Teratology, The International Journal of Abnormal Development, Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003, Vol/p/yr: 26(1),16A, 1982 |
| | Reproductive Effects:, TDLo, Subcutaneous, Mouse, 1400. MG/KG, female 11-17 day(s) after conception. Result: |
| | Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system. - Senten Ijo. Congenital Anomalies., For publisher information, see CGANE7, Osaka Japan, Vol/p/yr: 22,47, 1982 |
| | Acute toxicity, LD50, Oral, Mouse, 1800. MG/KG. Result: Behavioral: Convulsions or effect on seizure threshold. |
| | Gastrointestinal:Hypermotility, diarrhea. |



SAFETY DATA SHEET

ClearView Mineral Magnet Revision date 4-18-15 Nutritional and Gross Metabolic:Changes in:Body temperature increase. Section 11 Toxicological information (Continued) - Angewandte Chemie, International Edition in English., VCH Pub., Inc., 303 NW 12th Ave., Deerfield Beach, FL 33441, Vol/p/yr: 14,94, 1975 CAS# 13598-36-2: Acute toxicity, LD50, Oral, Rat, 1895. MG/KG. Result: Behavioral: Convulsions or effect on seizure threshold. Gastrointestinal:Hypermotility, diarrhea. Nutritional and Gross Metabolic:Changes in:Body temperature increase. - Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 56(4),24, 1991 Acute toxicity, LD50, Oral, Mouse, 1700. MG/KG. Result: Behavioral: Tremor. Behavioral: Muscle contraction or spasticity. - Toksikologicheskii Vestnik., Vol/p/yr: (6),38, 1995 CAS# **OSHA** Hazardous Components (Chemical Name) NTP IARC ACGIH 1-Hydroxyethylidene-1,1-diphosphonic acid 2809-21-4 n.a. n.a. n.a. n.a. Phosphorous acid, Ortho 13598-36-2 n.a. n.a. n.a. n.a.

Section 12 Ecological information

| | No data available. |
|-----------------------------------|--|
| Results of PBT and vPvB | CAS# 2809-21-4: |
| Assessment: | LC50, Bluegill (Lepomis macrochirus), 868.0 MG/L, 96 H. |
| | LC50, Rainbow Trout (Oncorhynchus mykiss), 368.0 MG/L, 96 H. |
| | Effective concentration to {0}% of test organisms., Water Flea (Daphnia magna), 527.0 MG/L, 48 H. CAS# 13598-36-2: |
| | |
| | Fathead Minnow (Pimephales promelas), 100.0 MG/L, 96 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing |
| | Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972 |
| | Effective concentration to {0} % of test organisms, Fathead Minnow (Pimephales promelas), 10000. MG/L, 4 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972 |
| Persistence and Degradability: | Degrades after acclimatization. |
| Bioaccumulative Potential: | This material is not expected to bio-accumulate. |
| Mobility in Soil: | Accidental spillage may lead to penetration in the soil and groundwater. However, there is no evidence that this would cause adverse ecological effects. |



ClearView Mineral Magnet

Revision date

4-18-15

Section 13 Disposal considerations

| Waste Disposal Method: | Discarded product, as sold, would be considered a RCRA Characteristic Hazardous Waste as it meets the definition /characteristic of corrosivity (designated as D002). APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed. |
|------------------------|---|
| Waste Disposal Method: | D002 |

Waste Disposal Method:

Section 14 Transport information

GHS Classification: Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed Skin Corrosion/Irritation, Category 1A-1C - Danger! Causes severe skin burns and eye damage Serious Eye Damage/Eye Irritation, Category 1 - Danger! Causes serious eye damage Specific Target Organ Toxicity (single exposure), Category 2 - Warning! May cause damage to organs {<target organs>}

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (1-Hydrydroxyelthylidene-1, 1-diphosphonic acid) DOT Hazard Class: 8 - CORROSIVE **UN/NA Number:** UN3265 Packing Group: Ш



LAND TRANSPORT (Canadian TDG): **TDG shipping Name:** No information available.

| LAND TRANSPORT (Eur | opean ADR/RID): | | |
|-----------------------------|--------------------------------|---------------------------------|-------------------------------------|
| ADR/RID Shippin | ig Name: | | |
| UN Number: | 3265 | Packing Group: | II |
| Hazard Class: | 8 - CORROSIVE | | |
| MARINE TRANSPORT (II | MDG/IMO): | | |
| IMDG/IMO Shipp | ing Name: Corrosive liquid, ac | idic, organic, n.o.s. (1-Hydrox | yethylidene-1, 1-diphosphonic acid) |
| UN Number: | N | Packing Group: | II. |
| Hazard Class: | 8 - CORROSIVE | | |
| | | IMDG MFAG Numbe | ər: |

IMDG EMS Page: |



ClearView Mineral Magnet

Revision date

4-18-15

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:

Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1, 1-diphosphonic acid) Solution.

Section 15 Regulatory information

| CAS # 2809-21-4 13598-36-2 This material 'Hazard Categ | Hazardous Co 1-Hydroxyethyl Phosphorous a meets the EPA pories' defined a III Sections dicated: | dments and Reauthorization A mponents (Chemical Name) lidene-1,1-diphosphonic acid acid, Ortho [X] Yes [] No Acute (immediate) [X] Yes [] No Chronic (delayed) [] Yes [X] No Fire Hazard [] Yes [X] No Sudden Release o [] Yes [X] No Reactive Hazard | S. 302 (EHS) No No Health Hazard Health Hazard | S. 304 RQ No No | S. 313 (TRI) No No |
|--|---|---|--|--|--|
| CAS # | | omponents (Chemical Name) | • • • = | or State Lists | |
| 2809-21-4 | 1-Hydroxyethy | lidene-1,1-diphosphonic acid | | | DES: No; TSCA: Yes - |
| 13598-36-2 | Phosphorous a | ocid Ortho | Inventory; CA | | DES: No; TSCA: Yes - |
| 15596-50-2 | Filospiloious a | | Inventory; CA I | | DES. NO, TSCA. TES - |
| CAS # Hazardous Components (Chemical Name) | | | Regulatory List | S | |
| 2809-21-4 1-Hydroxyethylidene-1,1-diphosphonic acid | | Australia ICS: ` | Yes; China IECS | OSL: No; Mexico INSQ: Yes; SC: Yes; Japan ENCS: Yes - | |
| | | | () | | 516; Philippines ICCS: Yes; |
| 13598-36-2 | Phosphorous a | acid Ortho | | A: Yes; REACH: | SL: No; Mexico INSQ: Yes; |
| 10000 00 2 | r nosphorous c | | | | SC: Yes; Japan ENCS: Yes - |
| | | | | | 91; Philippines ICCS: Yes; |
| | | | | A: Yes; REACH: | |
| Statement: used anoti appli | | Regulatory information provide used only for the product in its another material or altered in a applicable. This document was and environmental data. | present form, If t ny way, the infor | his material is us mation in this SI | sed as a component in DS may no longer be |

Section 16 Other information

Hazard Rating System:

| HMIS - | HEALTH | FLAMMABILITY | PHYSICAL | <u>PPE</u> |
|--------|--------|--------------|-------------|----------------|
| | 3 | 0 | 1 | Dn |
| NFPA - | HEALTH | FLAMMABILITY | INSTABILITY | SPECIAL HAZARD |
| | 3 | 0 | 1 | ACID |

DATE OF PREPARATION 4-18-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



Product name

ClearView Mineral Magnet

Revision date

4**-18-15**



| Product nam | Ie | ClearView Super Crystal Clarifier |
|--------------------------------------|--|---|
| Revision date | | 6-11-14 |
| | | |
| Product ID: | | Super Crystal Clarifier |
| Chemical Name: | | Not Available |
| Synonyms: | | Not Available |
| Chemical Formula CAS Number: | a: | Not Available Not Available |
| Product Use: | | Water Clarifier |
| Supplier: | Oreq Corporation 42306 Remingtor Temecula, CA 92 951-296-5076 | n Avenue |
| Emergency Phon | e# | Chemtrec: 1-800-424-9300 |
| OSHA/HCS status | This | motorial is considered becardous by the OCHA Hecord Communication Standard |
| | | material is considered hazardous by the OSHA Hazard Communication Standard FR 1910.1200). |
| GHS Classificatio | n: SER | OUS EYE DAMAGE/ EYE IRRITATION - Category 2B |
| GHS SIGNAL WO | RD: | WARNING |
| HAZARD PICTOG | RAM: | |
| | | \wedge |
| | | |
| | (s) ses serious eye da ses eye irritation | mage |
| Precautionary Stat Prevention | ement(s): | |
| P280 - We | ar protective gloves sh hands thorough | s/protective clothing/eye protection/face protection ly after handling |
| Response | | |
| P305 + P3 present an P337 + P3 | d easy to do. Conti | YES: Rinse cautiously with water for several minutes. Remove contact lenses, if nue rinsing persists: Get medical advice/attention. |



Product name

ClearView Super Crystal Clarifier

Revision date

6-11-14

| Substance/mixture: | Mixture |
|--------------------|----------------|
| Other means of | |
| Identification: | Not available. |

Product code: Clearview Super Crystal Clarifier While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.1200(i), all known hazards are clearly communicated within this document.

Description of necessary first aid measures

- **Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10minutes. If irritation persists, get medical attention.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin Contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semicomatose, comatose or convulsing, DO NOT GIVE FLUIDS BY MOUTH. In case of intentional ingestion of the product seek medical assistance immediately; take individual to nearest medical facility.

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Inhalation : | No known significant effects or critical hazards. |
|----------------|---|
| Ingestion : | No known significant effects or critical hazards. |
| Skin contact : | No known significant effects or critical hazards. |
| Eye contact : | Causes eye irritation. |



ClearView Super Crystal Clarifier Product name **Revision date** 6-11-14 **Over-exposure signs/symptoms** Eye contact : Adverse symptoms may include the following: irritation watering redness Inhalation: No specific data. Skin contact: No specific data Ingestion: No specific data. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments:** No specific treatment. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. See toxicological information (Section 11) Extinguishing media Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. Unsuitable extinguishing media : None known. Specific hazards arising In a fire or if heated, a pressure increase will occur and the container may from the chemical burst. Hazardous thermal Decomposition products may include the following materials: decomposition products carbon dioxide carbon monoxide nitrogen oxides halogenated compounds Special protective actions Promptly isolate the scene by removing all persons from the vicinity of the for fire-fighters incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Special protective** Fire-fighters should wear appropriate protective equipment and selfequipment for fire-fighters contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Personal precautions, protective equipment and emergency procedures

For non-emergency:No action shall be taken involving any personal risk or without suitable training.PersonnelEvacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not
touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation.
Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective
equipment.



For emergency responders:

Environmental precautions:

Methods and materials for containment and cleaning up

Revision date

SAFETY DATA SHEET

6-11-14

nonemergency personnel".

pollution (sewers, waterways, soil or air).

ClearView Super Crystal Clarifier

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|--|---|
| Large spill | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
| Precautions for safe handling | |
| Protective measures: | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general Occupational hygiene: | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |



| Product name | ClearView Super Crystal Clarifier |
|-----------------------------------|--|
| Revision date | 6-11-14 |
| | |
| Control parameters | |
| Occupational exposure limits | None |
| Appropriate engineering controls: | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls: | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures: | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection: | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection: | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of gloves cannot be accurately estimated. |
| Body protection: | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection: | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection: | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| | |

Physical state: Color: Odor: Odor Threshold: pH Liquid Amber Slight Not available 4 to 8 Vapor pressure:NoVapor density:NoRelative density:NoDispersibility properties:No

Not available Not available Not available Not available



Product name

Revision date

ClearView Super Crystal Clarifier

6-11-14

Melting point: Boiling point: Flash point: Evaporation rate: Flammability (solid, gas) Lower and upper explosive (flammable) limits Not available Not available Closed cup: >100°C (>212°F) Not available Not available Not available Solubility:Easily soluble in the following
materials: cold water / hot waterPartition coefficient:Not availablen-octanol/waterNot availableAuto-ignition temperature:>200°C (>392°F)Decomposition temperature:Not availableViscosity:Not availableVOC:Not available

| Reactivity : Chemical stability: Possibility of hazardous reactions: | No specific test data related to reactivity available for this product or its ingredients. The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur. |
|---|---|
| Conditions to avoid: | No specific data. |
| Incompatible materials: | No specific data. |
| Hazardous decomposition | Under normal conditions of storage and use, hazardous decomposition products should |
| Products: | not be produced. |

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-----------------------------------|--------------------|--------------------|-------------|----------|
| Clearview Super Crystal Clarifier | LD50 Oral | Rat | >2000 mg/kg | - |
| Conclusion/Summary: This pr | oduct is not expec | ted to be toxic by | inhalation. | |

Irritation/Corrosion

| Product/ingredient na | me | Result | Species | Score | Exposure | Observation |
|--|---|--|-----------------------------|-------|----------|-------------|
| Clearview Super Crys | tal | Eyes- Mild irritant | Mammal- species unspecified | - | - | - |
| Clarifier | | Skin- Mild irritant | Mammal- species unspecified | - | - | - |
| | | Respiratory- | | | | |
| | | Mild irritant | Mammal- species unspecified | - | - | - |
| <u>Conclusion/Summary</u> Skin: | This product has been tested for cutaneous irritation on New Zealand White male rabbits according to OECD guideline 404. No effects (erythema or edema) were observed after 24 hours. This product is not irritating to skin. May cause skin irritation with susceptible persons. | | | | | |
| Eyes: | Testing conducted on rabbits showed minor transient irritation which cleared within days. | | | | | |
| Respiratory: | Slightly hazardous in case of inhalation. Effects will depend on concentration and length of time of exposure. | | | | | |
| Sensitization | Not available | | | | | |
| <u>Conclusion/Summary</u> Skin: Respiratory: | | product is not expecte product is not expecte | | | | |



Product name

ClearView Super Crystal Clarifier

Revision date

6-11-14

| Mutagenicity <u>Conclusion/Summary:</u> | Not available. Not mutagenic in Ames test. Not mutagenic in micronucleus test on mice. | | |
|---|--|--|--|
| Carcinogenicity | This product has not been tested unless noted in summary results. | | |
| Reproductive toxicity | Not available | | |
| Teratogenicity | Not available | | |
| Conclusion/Summary: | Not teratogenicity. NOEL = 175 mg/kg | | |
| Specific target organ toxicity | | | |
| Single exposure - Repeated exposure- | Not available Not available | | |
| Aspiration hazard | Not available | | |
| Information on the likely routes of exposure: | Routes of entry anticipated: Dermal, Inhalation. Routes of entry not anticipated: Oral. | | |
| Potential acute health effects | | | |
| Eye contact: Inhalation: | Causes eye irritation No known significant effects or critical hazards. | | |
| Skin contact: | No known significant effects or critical hazards. | | |
| Ingestion: | No known significant effects or critical hazards. | | |
| | sical, chemical and toxicological characteristics | | |
| Eye contact : Adverse symple irritation | toms may include the following: | | |
| watering | | | |
| redness | | | |
| Inhalation: No specific dat | | | |
| Skin contact: No specific dat Ingestion: No specific dat | | | |
| • | ts and also chronic effects from short and long term exposure | | |
| Short term exposure | to and also enrolle encets nom short and long term exposure | | |
| Potential immediate effects: | Not available | | |
| Potential delayed effects: | Not available | | |
| Long term exposure | | | |
| Potential immediate effects: Potential delayed effects: | Not available Not available | | |
| Potential chronic health effects. | | | |
| Conclusion/Summary : | Chronic Toxicity:NOEL / Oral / rat 90-day =5000 mg/kg | | |
| 2 | Two year feeding study on rats and dogs did not reveal any adverse health effects. | | |
| | Not mutagenetic in AMES Test. | | |
| | Not mutgenetic in micronucleus test on mice. | | |
| General: | Not teratogenic, NOEL = 175 mg/kg. No known significant effects or critical hazards | | |
| Carcinogenicity: | No known significant effects or critical hazards | | |
| Mutagenicity: | No known significant effects or critical hazards | | |
| | Page 7 of 9 | | |



| Product name | ClearView Super Crystal Clarifier |
|---|--|
| Revision date | 6-11-14 |
| | |
| Teratogenicity: Developmental effects: Fertility effects: Numerical measures of toxicity | No known significant effects or critical hazards No known significant effects or critical hazards No known significant effects or critical hazards |
| Acute toxicity estimates | Not available |

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---------------------|---------|----------|
| Clearview Super Crystal | Acute EC50 >10 mg/l | Daphnia | 48 hours |
| Clarifier | Acute LC50 >10 mg/l | Fish | 96 hours |

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

| | DOT Classification | IMDG | ΙΑΤΑ |
|----------------------------|--------------------|---------------|--|
| UN number | Not regulated | Not regulated | Not regulated |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No | No | No |
| Additional information | - | - | The environmentally hazardous substance mark may appear if required by other transportation regulations. |

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according:Not availableto Annex II of MARPOL73/78 and the IBC Code



Product name

ClearView Super Crystal Clarifier

Revision date

6-11-14

Potential impurities present in trace quantities are included in the regulatory listings of this section. U.S. Federal regulations : United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304 Composition/information on ingredients No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312 Classification : Immediate (acute) health hazard Composition/information on ingredients

No products were found.

CERCLA: CERCLA: Hazardous substances.: No products were found.

FDA: This product is allowed under the following FDA (21 CFR) sections :176.170 Limitations: 1) As a pigment dispersant and/or retention aid prior to the sheet-forming operation in the manufacture of paper and paperboard, and used at a level not to exceed 10 pounds of active polymer per ton of finished paper and paperboard. 2) As a pigment dispersant in coatings at a level not to exceed 3.5 pounds of active polymer per ton of finished paper and paperboard. 3) For use only as a flocculant employed prior to the sheet forming operation in the manufacture of paper and paperboard, and used at a level of paper and paperboard. 3) For use only as a flocculant employed prior to the sheet forming operation in the manufacture of paper and paperboard, and used at a level not to exceed 10 mg/L (10 parts per million) of influent water

FIFRA This product is not a registered pesticide.

| HMIS/NPCA Rating Health | 1 | Flammability | 0 | Reactivity | 0 |
|-------------------------|---|--------------|---|------------|---|
| NFPA RatingsHealth | 1 | Flammability | 0 | Reactivity | 0 |

DATE OF PREPARATION 6-11-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



| Product name | ClearView Poly Power 30 | | |
|--|---|--|--|
| Revision date | 4-29-15 | | |
| Section 1 Identification | | | |
| Product ID: Synonyms: Chemical Name: CAS Number: Product Use: | Poly Power 30 Polyquaternium 42; Polixetonium chloride; WSCP Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride] 31512-74-0 Algaecide and Water Clarifier for Swimming pools. | | |
| Supplier: Oreq Corporat 42306 Reming Temecula, CA 951-296-5076 | iton Ave. | | |
| Emergency Phone# | CHEMTREC 800-424-9300 | | |
| Section 2 Hazards identifie | cation | | |
| GHS Classification: | Acute Toxicity: Oral, Category 4 Aquatic Toxicity (Acute), Category 1 | | |
| GHS Signal Word: | WARNING | | |
| Hazard Pictograms: | | | |
| GHS Hazard Phrases: | H302 - Harmful if swallowed. H400 - Very toxic to aquatic life. | | |
| GHS Precaution Phrases: | P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. | | |
| GHS Response Phrases: | P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P391 - Collect spillage. | | |
| GHS Storage and Disposal Phrases: | P501 - Dispose of contents/container .in accordance with all federal, state and local regulations | | |
| OSHA Regulatory Status: | This material is classified as hazardous under OSHA regulations. | | |
| Potential Health Effects (Acute and Chronic): Inhalation: Skin Contact: Eye Contact: Ingestion: | Chronic: None. Prolonged inhalation may be harmful Prolonged or repeated skin contact may cause irritation. Contact may cause eye irritation. Harmful if swallowed. If medical advice is needed, have product container or label at | | |

hand.



Revision date

ClearView Poly Power 30

4-29-15

Section 3 Composition / Information on ingredients

| CHEMICAL NAME | CAS# | CONCENTRATION | RTECS% |
|--|------------|---------------|-----------|
| Poly[oxyethylene(dimethylimonio)ethylene(dimethylimonio)ethylene | 31512-74-0 | 30% | TR1650000 |
| dichloride] | | | |

Section 4 First - aid measures

| Emergency and First Aid Procedures: | Wash with plenty of soap and water. |
|--|---|
| In Case of Inhalation: | IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. IF NOT BREATHING, call 911 and or ambulance, then give artificial respiration. |
| In Case of Skin Contact: | Wash with soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs, seek medical advice/attention. |
| In Case of Eye Contact: | Hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel. |
| In Case of Ingestion: | If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. |
| Note to Physician: | Treat symptomatically and supportively. |

Section 5 Fire - fighting measures

| Flammability Classification: | Non-flammable |
|-----------------------------------|--|
| Flash Pt: | > 212.0 F (100.0 C) Method Used: Cleveland Open Cup |
| Explosive Limits: | LEL: N.A. UEL: N.A. |
| Autoignition Pt: | NA |
| Suitable Extinguishing Media: | Use extinguishing agent suitable for type of surrounding fire. |
| Unsuitable Extinguishing Media: | No information available. |
| Fire Fighting Instructions: | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), & full protective gear. Material will not burn. |
| Flammable Properties and Hazards: | No data available. |
| | |



| Product name | ClearView Poly Power 30 | | |
|--|--|--|--|
| Revision date | 4-29-15 | | |
| Section 6 Accidenta | I release measures | | |
| Protective Precautions, Protective Equipment and Emergency Procedures: | Wear appropriate gloves to prevent skin exposure. Wear chemical splash goggles. | | |
| Environmental Precautions: | Avoid release to the environment. This product is toxic to fish and aquatic organisms. Do not discharge into effluent containing this product into lakes, streams, ponds or estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharging. Do not discharge effluent containing this product to sewer sytems without previously notifying the local sewage treatment plant authority. For guidance call your State Water Board Authority or Regional Office of the EPA. | | |
| Steps To Be Taken In Case Material Is Released Or Spilled: | Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. This material will sink and is soluable/dispersable, it is probably not recoverable. Notify the Authorities. Prevent further leakage or spillage if safe to do so. | | |
| Section 7 Handling | and storage | | |
| Precautions To Be Taken in Handling: | Do not contaminate water, food, or feed by storage or disposal. Keep container closed when not in use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do NOT reuse empty containers without commercial cleaning or reconditioning. | | |
| Precautions To Be Taken in Storing: | No special storage requirements. Storage Temperature: Ambient. Storage Pressure: Atmospheric. | | |
| Other Precautions: | Spills must be absorbed with sawdust or sand and disposed of in a sanitary landfill. Leaking or damaged drums must be placed in overpack drums for disposal. Do not stack drums more than (4) drums high. | | |
| Section 8 Exposure controls / personal protection | | | |
| | Permissible Exposure Limits | | |

| | Permissible Exposure Limits | | | | | | | |
|------------|-----------------------------|---------|---------|---------|-------------|---------|--|--|
| | OSHA | | WIS | SHA | ACGIH (TLV) | | | |
| CAS No. | TWA | STEL | TWA | STEL | TWA | STEL | | |
| 31512-74-0 | No Data | No Data | No Data | No Data | No Data | No Data | | |

Respiratory Equipment Respirator protection is not normally required. (Specify Type):

 Eye Protection:
 Wear appropriate protective eyeglasses or chemical safety goggles as described by

 OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

 Protective Gloves:
 Impervious gloves.

Other Protective Clothing: Clothes to prevent skin contact. Protective garments not normally required.

Engineering ControlsVentilation should be provided to control worker exposures and prevent health risks and
as necessary to reduce, prevent and control dust, mist, vapor or aerosol generation.



| Product name | ClearView Poly Power 30 |
|--|---|
| Revision date | 4-29-15 |
| Section 8 Exposu | re controls / personal protection (Continued) |
| Work/Hygienic/Maintenanc Practices: | Wash thoroughly after handling. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice. |
| Environmental Exposure Controls: | Use adequate ventilation to keep airborne concentrations low. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. |
| Section 9 Physica | I and chemical properties |
| Physical States: Appearance and Odor: Melting Point: Boiling Point: Decomposition Temperatu Autoignition Pt: Flash Pt: Explosive Limits: Specific Gravity (Water = 1 Density: Bulk density: Vapor Pressure (vs. Air or Vapor Density (vs. Air = 1)) Evaporation Rate: Solubility in Water: Saturated Vapor Concentra Viscosity: Octanol/Water Partition Co pH: Percent Volatile: VOC / Volume: Particle Size: Heat Value: Corrosion Rate: | NA > 212.0 F (100.0 C) Method Used: Cleveland Open Cup LEL: N.A. UEL: N.A.): 1.15 - 1.17 at 25.0 C (77.0 F) 9.6 - 9.8 LB/GA at 25.0 C (77.0 F) NA mm Hg): NA Soluble NA NA Soluble 125 CPS at 25.0 C (77.0 F) |

Section 10 Stability and reactivity

| Conditions To Avoid - Instability: Incompatibility – Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: | Unstable [] Stable [X] No dangerous reactions are known. None known. No data available. None known. Will occur [] Will not occur [X] No data available. |
|--|--|
|--|--|

Section 11 Toxicological information

| Toxicological Information: | Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: CAS# 31512-74-0: |
|----------------------------|---|
| Irritation or Corrosion: | Acute toxicity, LD50, Oral, Rat, 1850. MG/KG. Result: |



Product name

ClearView Poly Power 30

Revision date

4-29-15

Section 11 Toxicological information (Continued)

Behavioral: Convulsions or effect on seizure threshold.
Gastrointestinal:Hypermotility, diarrhea.
Nutritional and Gross Metabolic:Changes in:Body temperature increase.
Farm Chemicals Handbook., Meister Pub., 37841 Euclid Ave., Willoughy, OH 44094, Vol/p/yr: -,C326, 1991
Acute toxicity, LD50, Skin, Species: Rabbit, > 2.000 GM/KG.

Result:

Liver: Fatty liver degeneration.

Kidney, Ureter, Bladder:Other changes.

Blood:Other changes.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,201, 1992

Symptoms related to Toxicological No data available.

Characteristics: Chronic Toxicological No data available.

| CAS# | CHEMICAL NAME | NTP | IARC | ACGIH | OSHA |
|------------|--|-----|------|-------|------|
| 31512-74-0 | Poly(oxyethylene(dimethylimino)ethylene(dime | NA | NA | NA | NA |
| | thylimino)ethylene dichloride) | | | | |

Section 12 Ecological information

General Ecological No data available. **Information:**

Results of PBT and
VPvB assessment:No information available.CAS# 31512-74-0:

LC50, Fathead Minnow (Pimephales promelas), larva(e), 353.0 UG/L, 48 H, Mortality; The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner, J.H.J., and P.C. Baumann, 1991

LC50, Rainbow Trout (Oncorhynchus mykiss), 44.00 UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L. Result: Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

LC50, Harlequinfish, Red Rasbora (Rasbora heteromorpha), 660.0 UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) C, pH: 8.10, Hardness: 20.00 MG/L; Acute Toxicity of 102 Pesticides and Miscellaneous Substances to Fish, Tooby, T.E., P.A. Hursey, and J.S. Alabaster, 1975

LC50, Channel Catfish (Ictalurus punctatus), 3350. UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L.



ClearView Poly Power 30

Revision date

4-29-15

Section 12 Ecological information (Continued)

Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

LC50, Zebra Mussel (Dreissena polymorpha), 60000. UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L. Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

Effective concentration to {0} % of test organisms, Zebra Mussel (Dreissena polymorpha), 2000. UG/L, 250 H, Behavior, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.80, Hardness: 100.00 MG/L. Result:

No loss of equilibrium observed.

- Control of the Biofouling Mollusc, Dreissena polymorpha (Bivalvia: Dreissenidae), with Sodium Hypochlorite and with Polyquaternary Ammonia and Benzothiazole Compounds, Martin, I.D., G.L. Mackie, and M.A. Baker, 1993

LC50, Water Flea (Ceriodaphnia dubia), neonate, 218.0 UG/L, 48 H, Mortality; The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner, J.H.J., and P.C. Baumann, 1991

| Persistence and Degradability: | No information available. |
|--------------------------------|--|
| Bioaccumulative Potential: | Toxic to aquatic life. Unknown Effect. |
| Mobility in Soil: | Unknown Effect. |

Section 13 Disposal considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Discarded product, as sold, would not be considered a RCRA Hazardous Waste. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained and properly bunged, then promptly returned to a drum reconditioner, or properly disposed of.



| Product name | ClearView Poly Power 30 | | | |
|---|--|--|--|--|
| Revision date | 4-29-15 | | | |
| Section 14 Transport inform | ation | | | |
| GHS Classification: | Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed Aquatic Toxicity (Acute), Category 1 - Warning! Very toxic to aquatic life | | | |
| LAND TRANSPORT (US DOT): DOT Proper Shipping Name: DOT Hazard Class: UN/NA Number: | Not regulated as a hazardous material. | | | |
| LAND TRANSPORT (Canadian TDG): TDG Shipping Name: | Not regulated as a hazardous material. | | | |
| LAND TRANSPORT (European ADR/F ADR/RID Shipping Name: UN Number: Hazard Class: | RID): Not regulated as a hazardous material. | | | |
| MARINE TRANSPORT (IMDG/IMO): IMDG/IMO Shipping Name: | Not regulated as a hazardous material. | | | |
| AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: | Non-Hazardous for Air Transport. | | | |

Section 15 Regulatory information

Г

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS# | | | S.302 (EHS) | S.304 RQ | S.313 (TRI) | |
|---|--|---|--------------------|--|---|--------------|
| 31512-74-0 | Poly[oxyethylene(dimethylimonio)ethylene(dimet nio)ethylene dichloride] | | | No | No | No |
| 'Hazard Cate | al meets the EPA egories' defined tle III Sections ndicated: | [X] Yes [] No Acute (immediat [] Yes [X] No Chronic (delayed [] Yes [X] No Fire Hazard [] Yes [X] No Sudden Release [] Yes [X] No Reactive Hazard | d) Health | Hazard | | |
| CAS # 31512-74-0 | Hazardous Components (Chemical Name) Poly(oxyethylene(dimethylimino)ethylene(dimethyl imino)ethylene dichloride) | | CAA H | US EPA or State AP,ODC: No; CW .65: No | | TSCA: No; CA |
| CAS #Hazardous Components (Chemical Name)31512-74-0Poly(oxyethylene(dimethylimino)ethylene(dimethyl imino)ethylene dichloride) | | Canad Austral Korea | lia ICS: No; Ćhina | adian NDSL: No IECSC: Yes; Ja 990; Philippines | ; Mexico INSQ: Ye apan ENCS: No; ICCS: No; Taiwar | |



ClearView Poly Power 30

Revision date

4-29-15

Section 15 Regulatory information (Continued)

Regulatory Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING May be fatal if swallowed or absorbed through the skin Harmful if inhaled Causes skin irritation Causes substantial but temporary eye injury This pesticide is extremely toxic to fish.

Regulatory Information Statement:

Regulatory information provided in this SDS was prepared for this product and is to be used only for the product in its present form, If this material is used as a component in another material or altered in any way, the information in this SDS may no longer be applicable. This document was generated for the purpose of distributing health, safety and environmental data.

Section 16 Other information

HMIS RATING HEALTH: 1 FLAMMABILITY: 0 PHYSICAL HAZARD: 0 PPE: B NFPA RATING HEALTH: 1 FLAMMABILITY: 0 INSTABILITY: 0

DATE OF PREPARATION 4-29-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

ClearView Shimmer Shock

Revision date

5-11-15

| Section 1 | Identification | |
|---|--|---|
| Product ID: | | Shimmer Shock |
| Chemical Name: Synonyms: | | Sodium dichloroisocyanurate dihydrate Sodium dichlor;; Sodium dichloroisocyanurate dihydrate: Sodium Dichloro-S-Triazinetrione Dihydrate; Troclosene sodium |
| Chemical Formu CAS Number: Product Use: | la: | NaCl 2(NCO) 3 x2H 2O 51580-86-0 Fast Acting for Super Chlorination to Control Bacteria & Algae |
| Supplier: | Oreq Corporation 42306 Remington Av Temecula, CA 92590 951-296-5076 | |
| Emergency Pho | ne# Ch | emtrec: 1-800-424-9300 |
| Section 2 | Hazards identifica | ition |
| Eye Irri STOT S Aquatic | | Acute Tox. 4, H302 Harmful if swallowed Eye Irrit. 2, H319 Causes serious eye irritation STOT SE 3, H335 May cause respiratory irritation Aquatic Acute 1, H400 - Very toxic to aquatic life Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects |
| GHS SIGNAL WORD: | | DANGER |
| HAZARD PICTOG | - | |
| | armful if swallowed | |
| H319 - Causes serious eye irritation H335 - May cause respiratory irritation H410 - Very toxic to aquatic life with long las EUH031 - Contact with acids liberates toxic | | tion h long lasting effects |
| Precautionary Sta | | |
| | oid breathing dust/fume/g | gas/mist/vapors/spray |

P261 - Avoid breating dustriane/gas/mis/vapors/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing

NFPA Ratings (Scale 0-4)

Health = 2, Fire = 0, Reactivity = 1. Special Hazard Warning: OXIDIZER



ClearView Shimmer Shock

Revision date

5-11-15

Section 3 Composition / Information on ingredients

| Components | Weight % | Index No. | EC No. | EU Classification |
|--|----------|---------------|-----------|--|
| SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0 | 99-100 | #613-030-01-7 | 220-767-7 | Acute Tox. 4 H302 Eye Irrit. 2 H319 STOT SE 3 H335 Aquatic Acute 1 H400 |
| | | | | Aquatic Chronic 1 H410 EUH031 (In Accordance with CLP1272/2008) R31 Xi; R36/37 Xn; R22 N; R50/53 (in accordance with DSD67/548/EEC) |
| SODIUM CHLORIDE 7647-14-5 | 0-1 | | 231-593-8 | None |

Section 4 First - aid measures

Eye contact Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 20 minutes. Get medical attention immediately.

- **Skin contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Get medical attention immediately.
- Inhalation In case of inhalation, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary and get medical attention immediately.

Ingestion If swallowed, wash mouth thoroughly with plenty of water. Get medical attention immediately.

NOTE: Never give an unconscious person anything to drink

Most important symptoms and effects, acute or delayed

| - Ocular | Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage. | | | |
|---|--|--|--|--|
| - Dermal | Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent damage. | | | |
| - Inhalation | Irritating to the nose, mouth, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage from the corrosive action to the lung. | | | |
| - Ingestion | Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation. | | | |
| Notes to the physician | No specific antidote. Treat symptomatically and supportively. In case of ingestion DO NOT induce vomiting. Probable mucosal damage may contraindicate the use of gastric lavage. | | | |
| Medical conditions aggravated by exposu | re Asthma, respiratory and cardiovascular disease. | | | |



| Product | name |
|---------|------|
|---------|------|

ClearView Shimmer Shock

Revision date 5-11-15

| Section 5 Fire - fighting measures | |
|-------------------------------------|---|
| Suitable Extinguishing Media: | Water |
| Extinguishing Media Not To Be Used: | Do not use dry chemical extinguisher containing ammonia compounds. |
| Unusual Fire and Explosion Hazards: | When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine and CO. |
| Fire Fighting Procedure: | Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished. |
| Section 6 Accidental release | |

lenital release measures

| Personal precautions | For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear for overhead exposure. For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material. CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist. |
|---------------------------|---|
| Methods for cleaning up | Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. |
| Environmental precautions | |
| - Soil | Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container. |
| - Water | This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately. |
| - Air | Vapors may be suppressed by the use of water fog. |
| Section 7 Handling and st | orage |
| Handling | Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin or eyes, wash off with water. |
| Storage | Store in a dry, cool, well-ventilated area. away from incompatible materials (see "materials to avoid"). Do not store at temperatures above 60°C/140°F. Product has an indefinite shelf-life limitation. |



ClearView Shimmer Shock

Revision date

5-11-15

Section 8 Exposure controls / personal protection

Exposure Limits:

| COMPONENTS | ACGIH-TLV Data | OSHA (PEL) Data |
|--|---|---|
| SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0 | Not determined | Not determined |
| SODIUM CHLORIDE 7647-14-5 | Not determined | Not determined |
| | e local exhaust ventilation to minimize dus occurs. Otherwise, ensure good general | |
| Personal protective equipment: | | |
| | en dusty conditions are encountered, wea chlorine cartridges for protection againts | • |
| - Hand protection Neo | Neoprene gloves (0.67 mm) | |
| | Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles may be required. | |
| - Skin and body protection Imp | ervious body covering clothes, boots and | neoprene apron. |
| tho | not eat, smoke or drink where material is oughly after handling and before eating o uld be provided. | handled, processed or stored. Wash hands r smoking. Safety shower and eye bath |

Section 9 Physical and chemical properties

| Appearance Odor Odor threshold pH Melting point/range Boiling point/range Flash point Evaporation rate (ether=1) Flammability (solid, gas) Flammable/Explosion limits Vapor pressure | White granules or tablet-form product Mild chlorine-like Not determined Not determined Not applicable Not applicable Not applicable under standard conditions Not determined Not determined Not determined |
|--|---|
| Vapor density Relative density | Not applicable under standard conditions tap density= 0.974 g/mL |
| Relative defisity | pour density= 1.083 g/mL |
| Solubility: | pour density - 1.003 g/me |
| - Solubility in water | 24-25 g/100g |
| Partition coefficient | |
| (n-octanol/water) | LogP0.0056 (estimated) |
| Auto-ignition temperature | Not self-ignitable |
| Decomposition temperature | Begins to lose 1 mole water at approximately 50°C; second mole water at 95°C; Decomposes at 240-250°C |
| Viscosity Explosive properties Oxidising properties Particle size | Not applicable Not determined Not oxidizing Non- inhalable |



Product name

ClearView Shimmer Shock

Revision date

5-11-15

| Section 10 Stability and reactivity | | |
|---|--|--|
| Reactivity | Begins to lose one mole of water at approximately 50°C | |
| Stability | Stable under normal conditions | |
| Possibility of hazardous reactions | If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist. | |
| Conditions to avoid Materials to avoid | Heating above decomposition temperature Do not package in paper or cardboard. Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds. | |
| Hazardous decomposition products | Nitrogen trichloride, chlorine, carbon monoxide | |

Section 11 Toxicological information

| Acute | toxicity: |
|----------------|-----------|
| / (Outo | toxioity. |

| - | |
|---|---|
| - Rat oral LD50 | 1671 mg/kg |
| - Rat dermal LD50 | >5000 mg/kg |
| - Dermal irritation (rabbit) | Severe irritant |
| - Eye irritation (rabbit) | Severe irritant |
| Dermal sensitization | Not a sensitizer. |
| Immediately Dangerous to Life or Health (IDLH) | No level has been established for the components or the product itself. |
| Effects of overexposure : Chronic toxicity | Chronic inhalation exposure may cause impairment of lung function and permanent lung damage. |
| Mutagenicity | Not mutagenic in five Salmonella strains with or without metabolic activation. |
| Carcinogenicity | Not classified by IARC, OSHA, EPA. Not included in NTP 12th Report on Carcinogens |
| Reproductive toxicity | Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects. |

Section 12 Ecological information

| - 96 Hour-LC50, Fish | 0.22 mg/l (rainbow trout) |
|----------------------|------------------------------|
| | 0.28 mg/l (bluegill sunfish) |
| | |

- 48 hour-LC50, Daphnia magna 0.2 mg/l



ClearView Shimmer Shock

Revision date

5-11-15

| Section 12 Ecological inform | nation (continued) | |
|---|---|--|
| Avian toxicity: - Oral LD50, Bobwhite quail - Oral LD50, Mallard duck - Dietary LC50, Mallard duck - Dietary LC50, Bobwhite quail | 730 mg/kg 3300 mg/kg >10,000 ppm >10,000 ppm | |
| Persistence and degradability | Not readily biodegradable. Rapidly hydrolyses in water into Cyanuric acid | |
| Bioaccumulative potential | Not expected to bioaccumulate | |
| Mobility in soil | The degradation product, Cyanuric acid, is weakly adsorbed to and highly mobile in all soils | |
| Section 13 Disposal considerations | | |
| Waste disposal | Care must be taken to prevent environmental contamination from the use of this material. Dispose of in a safe manner in accordance with local/national regulations. | |
| Disposal of Packaging | Empty containers should be disposed of in accordance with all applicable laws and regulations. | |
| Section 14 Transport information | | |

DOT

| Non-Bulk Packaging: Not Regulated under DOT unless transported by Vessel |
|--|
| Bulk Packaging or Shipment by Vessel: Regulated |
| UN No. UN3077 |
| PROPER SHIPPING NAME: Environmentally Hazardous Substance, Solid, n.o.s. |
| |

(Sodium dichloroisocyanurate dihydrate) Class: 9 - Miscellaneous Hazardous Material

Label: 9

Marking: Marine Pollutant Packing Group: III

Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

| IMDG | UN No. 3077 Proper shipping name: Environmentally hazardous substance, solid, n.o.s (Sodium Dichloroisocyanurate,dihydrate) Class: 9 - Miscellaneous Dangerous Substances and Articles Label: 9 Mark: MARINE POLLUTANT Packing Group: III |
|---------|--|
| ADR/RID | UN No. 3077 Proper shipping name: Environmentally hazardous substance, solid, n.o.s (Sodium Dichloroisocyanurate,dihydrate) Class: 9 - Miscellaneous Dangerous Substances and Articles Classification Code: M7 Hazard identification No: 90 Packing group: III Marking: Environmentally hazardous substance |

| Product name | ClearView Shimmer Shock |
|--|--|
| Revision date | 5-11-15 |
| Section 14 Transport information (Continued) | |
| ICAO/IATA | UN No. 3077 Proper shipping name: Environmentally hazardous substance, solid, n.o.s (Sodium Dichloroisocyanurate,dihydrate) Class: 9 Hazard label(s): Miscellaneous Packing group: III Marking: Environmentally hazardous substance |
| Section 15 Regulatory information | |
| EU | Reported in EINECS |
| - Indication of danger | Harmful, symbol required (Xn) Dangerous for the environment, symbol required (N) |
| - R Phrases | R 22: Harmful if swallowed. R 31: Contact with acids liberates toxic gas. Xi; R 36/37: Irritating to eyes and respiratory system. R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| - S Phrases | S 8: Keep container dry. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 41 :In case of fire and/or explosion do not breathe fumes. S60: This material and its container must be disposed of as hazardous waste. S61: Avoid release to the environment. Refer to special instructions/Safety data sheets. |
| USA | All the components of this substance are listed on or are exempt from the inventory |
| OSHA REGULATORY STATUS: | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) |
| FIFRA REGULATIONS: | Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). |
| Australia China - China inventory Japan New Zealand Inventory Philippines Section 16 Other information | Listed in AICS ENCS no. (5)-1043 ISHL no. (5)-1043 Listed in NZIOC Listed in PICCS |

Section 16 Other information

DATE OF PREPARATION 5-11-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.