

Product name	Clea	rView TVC		
Revision date	7-8-1	5		
Product ID:	TVC			
Product ID:	IVC			
Chemical Name:	Not ava			
Synonyms: Chemical Formula:	Not ava Not ava			
CAS Number:	Not ava			
Product Use:			Removes oil, film	n, scale, soiling from tile and vinyl
423 Ten	q Corporation 06 Remington Avenue necula, CA 92590 -296-5076			
Emergency Phone#	Chemtree	c: 1-800-424-93	00	
		RGENCY OVE DANGER	>	
Appearance – Slight Y	ellowish	Physical Stat	e – Liquid	Odor - Mild
GHS Classification Skin Corrosion	/irritation: (Category 1)	Serious eye da	amage/eye irritatio	n (Category 1)
Hazard Statement(s) H314: Causes	severe skin burns and e	ye damage.		
Precautionary Statem	ent(s)			
P264: Wash sk P270: Do not e P280: Wear pro Response P301+P330+P3 P303+P361+P3 Rinse skin with P304+P340: IF	water/shower. INHALED: Remove victi	ling. using this prod e clothing/eye p inse mouth. Do): Remove/take m to fresh air a	uct. rotection/face prof NOT induce vomi off immediately a nd keep at rest in a	

lenses, if present and easy to do. Continue rinsing. P309+P311: IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician. P363: Wash contaminated clothing before re-use.



Product name	ClearView TVC

Revision date 7-8-15

Potential Health Effects

Primary routes of entry are by way of eye, skin and inhalation.

Potential Health Effects: Eyes

Severe irritation of the eyes and eyelids. If the acid is not quickly removed by thorough irrigation with water, there may be prolonged or permanent visual impairment or total loss of sight. Hydrogen chloride gas escaping from the aqueous solution is immediately irritating to the eyes.

Potential Health Effects: Skin

Irritating and corrosive to skin and can cause severe burns if not properly washed off. Repeated contact of the skin may lead to the development of dermatitis. The chronic local effect may consist of multiple areas of superficial destruction of the skin or of primary irritant dermatitis.

Potential Health Effects: Ingestion

This product causes severe burns of mucus membranes of the mouth, esophagus, and stomach if swallowed.

Potential Health Effects: Inhalation

Inhalation of gas, mist, fog, or spray will cause severe irritation of the upper respiratory tract, resulting in coughing, burning of the throat, and a choking sensation. Excessive or long-term exposure may result in varying degrees of irritation or damage to the respiratory tract tissues and increased susceptibility to respiratory illness, including pulmonary edema. Prolonged or repeated exposure to concentration in excess of the TLV may cause discoloration and/or erosion of the teeth.

MIXTURES

Chemical Name	CAS #	Percent %
Phosphoric Acid	7664-38-2	5 - < 20
Muriatic Acid	7647-01-0	5 - < 20
Alkyl Dimethyl Benzyl Ammonium Chloride	53516-76-0	1 - < 10
Other components below reportable levels		50 - < 80

Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.1200(i), all known hazards are clearly communicated within this document

General advice	Do not get in eyes, on skin, or on clothing.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. Consult a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Call a physician immediately.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Call a physician immediately. Drink plenty of water. Never give anything by mouth to an unconscious person.



Product name	ClearView TVC
Revision date	7-8-15
Extinguishing Media	
Suitable Extinguishing Media: Carbon dioxide, dry chemical and foam	may all be used in areas where hydrogen chloride is stored.
Unsuitable Extinguishing Media:	Do not use water.
Fire Fighting Equipment/Instructions Wear full protective clothing, including h protective clothing and face mask.	: elmet, self-contained positive pressure or pressure demand breathing apparatus,
Personal precautions	Ensure adequate ventilation. Use personal protective equipment. Refer to Section 8. Do not touch damaged packages or spilled material. Avoid contact with skin, eyes, and inhalation of vapors.
Environmental precautions	Section 311 of the Clean Water Act lists Muriatic Acid as a hazardous substance which, if discharged into or upon water, may require immediate response to mitigate danger to public health. Spills or releases should be reported, if required, to the appropriate local, state and federal agencies. See Section 12 for additional Ecological Information.
Methods for cleaning up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. Keep in suitable

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not ingest. Do not eat, drink, or smoke when using this product.

and closed containers for disposal. After cleaning, flush away traces with water.

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Do not store in metal containers. Keep out of the reach of children.

Incompatible Products Strong bases. Metals. Reducing agents. Oxidizing agents.

Control parameters

Chemical Name	ACGIH TLV	OSHA Table Z-1 (-A)	NIOSH
Phosphoric Acid	TWA 1 mg/m3	PEL 1 mg/m3	REL 1 mg/m3
7664-38-2	STEL 3 mg/m3	STEL 3 mg/m3	STEL 3 mg/m3
		TWA 1 mg/m3	

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Muriatic Acid	Ceiling: 2 ppm	Ceiling 5 ppm (7mg/m ³)	IDLH: 50 ppm
7647-01-0			Ceiling: 5 ppm
			Ceiling: 7 mg/m3



Product name		ClearView TV	C			
Revision date		7-8-15				
Appropriate engineering cont	trols					
Engineering Measures		Showers Eyewash stations Ventilation systems.				
Individual protection measured	es, sucl	h as personal protec	<u>tive equipment</u>			
Eye/face Protection		Safety glasses with	side-shields.			
Skin and body protection		Wear protective glow	ves/clothing.			
Respiratory protection		When workers are facing concentrations above the exposure limit t must use appropriate certified respirators.				
Physical state:		Liquid	Vapor pressure:	No data available.		
Form:		No data available.	Vapor density:	No data available.		
Color: Odor:		Slight Yellowish Mild	Relative density: Solubility(ies)	No data available.		
Odor threshold:		No data available.	Solubility in water:	No data available.		
pH:		1.5 – 2.0	Solubility (other):	No data available.		
Melting point/freezing point:		No data available.	Partition coefficient			
Initial boiling point and boiling	range:	No data available.	(n-octanol/water):	No data available.		
Flash Point:		No data available.	Auto-ignition temperature:	No data available.		
Evaporation rate: Flammability (solid, gas):		No data available. No data available.	Decomposition temperature: Viscosity:	No data available. No data available.		
Upper/lower limit on flammabili	itv or ex		viscosity.			
Flammability limit - upp			Explosive limit - upper (%):	No data available.		
Flammability limit - low	er (%):	No data available.	Explosive limit - lower (%):	No data available.		
	0					
Stability:		under normal conditio				
Hazardous Reaction: Incompatible Materials:		with Alkalis producing	ali metals to avoid possible violent r	eaction.		
incompatible materials.	Reacts	with many metals pro	oducing heat and Hydrogen Gas. with strong oxidizers as chlorine w	vill be produced		
Hazardous Decomposition Products:		norus Pentoxide				

Information on likely routes of exposure Component Information- PHOSPHORIC ACID

Chemical Name	LD50 Oral		LD50 Dermal		LC50 Inhalation		
Phosphoric Acid	ATEmix ():		ATEmix ():		No Data Available		
7664-38-2	1,578.947368 n	ng/kg	3,326.31579 mg/kg				
Information on toxicological effe	Information on toxicological effects						
Chemical Name	ACGIH		IARC	NTP		OSHA	
Phosphoric Acid	-	None Established		None Established		-	
7664-38-2							



Product name	ClearView TVC
--------------	---------------

Revision date

7-8-15

Component Information- MURIATIC ACID

Chemical Name	LD50 Ora	LD50 Oral		LD50 Dermal		LC50 Inhalation	
Muriatic Acid	238 - 277 mg/kg	(Rat)	(Rat) > 5010 mg/kg		= 1.68	mg/L(Rat)1 h	
7647-01-0							
Water 7732-18-5	> 90 mL/kg (I	Rat)	None Established		None Established		
nformation on toxicological	effects						
Chemical Name	ACGIH		IARC	NTP		OSHA	
Muriatic Acid	-	G	Group 3	None Estat	olished	-	
7647-01-0							
Water 7732-18-5	-	None	Established	None Estal	olished	-	

Component Information- ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Alkyl Dimethyl Benzyl Ammonium Chloride 53516-76-0	430 mg/kg (Rat)	3560 mg/kg (Rat)	No Data Available

Information on toxicological effects

Chemical Name	ACGIH	IARC	NTP	OSHA
Alkyl Dimethyl Benzyl Ammonium Chloride 53516-76-0	-	-	-	-

Ecotoxicity Acute hazards to the aquatic environment:

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Phosphoric Acid	No Data Available	No Data Available	No Data Available
7664-38-2			

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Muriatic Acid 7647-01-0	None Established	282: 96 h Gambusia affinis mg/L LC50 static	None Established
Water 7732-18-5	None Established	None Established	None Established

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Alkyl Dimethyl Benzyl Ammonium Chloride	No Data Available	LC50: Striped bass (Morone saxatilis) 0.5 mg/l, 96 hours	NOEL: 0.0042 mg/l
53516-76-0		LC50: Bluegill (Lepomis macrochirus) 0.515 mg/l	



Product name	ClearView TVC
Revision date	7-8-15
Persistence and degradability Bioaccumulation/Accumulation Mobility in Soil	No information available. No information available. No information available.

Environmental Fate

When released into the soil, Muriatic Acid is not expected to biodegrade and may leach into groundwater.

Waste Disposal Instructions

The materials resulting from clean-up operations may be hazardous wastes and, therefore, subject to specific regulations. Package, store, transport and dispose off all clean-up materials and any contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

Shipments of waste materials may be subject to manifesting requirements.

Appropriate disposal will depend on the nature of each waste material and should be performed by competent and properly permitted contractors.

Ensure that all federal, state and local agencies receive proper notification of spill and disposal methods. See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

DOT

	UN Number:		1789		
	UN Proper Sh		Compound, Cleaning L	iquid, N.O.S.	
	Transport haz				
	Class:		8		
	Label(8		
	Packing Grou	•	II.		
	Marine Polluta	ant:	Not regulated		
<u>IATA</u>					
	UN Number		1789		
	Proper shippi	ng name	Compound, Cleaning L	iquid, N.O.S.	
	Hazard Class		8		
	Packing group	p	II		
IMDG/I					
	UN Number		1789		
	Proper shippi	ng name	Compound, Cleaning L	iquid, N.O.S.	
	Hazard Class		8		
	Packing group		II		
	<u>atic Acid</u>				
Intern	national Invento	ories			
TSCA		Complies	IECSC	Complies	
DSL/NE	-	Complies	KECL	Complies	
	S/ELINCS	Complies	PICCS	Complies	
ENCS		Complies	AICS	Complies	

US Federal Regulations

A: General Product Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the Controlled Products Regulations.



Product name

ClearView TVC

Revision date

7-8-15

This product has been classified hazardous under OSHA regulations (29 CFR 1910.1200).

B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

Component Analysis - State

None of this product's components are listed on the state lists from CA, MA, MN, NJ, PA, or RI.

Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL.

WHMIS Classification: D2B, B3

Additional Regulatory Information

None

 Phosphoric Acid

 US federal regulationsUS. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

 None present or none present in regulated quantities.

 CERCLA Hazardous Substance List (40 CFR 302.4):

 Phosphoric Acid
 Reportable quantity: 5000 lbs.

 Superfund amendments and reauthorization act of 1986 (SARA)

 Hazard categories
 Not listed.

SARA 302 Extremely hazardous substance
None present or none present in regulated quantities.
SARA 304 Emergency release notification
Chemical identity RQ
Phosphoric Acid 5000 lbs.
SARA 311/312 Hazardous chemical
Chemical identity Threshold Planning Quantity
Phosphoric Acid 500 lbs
SARA 313 (TRI reporting)
None present or none present in regulated quantities.
Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)
Phosphoric Acid Reportable quantity: 5000 lbs.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.

HMIS Ratings:	Health: 3	Fire: 0	Physical Hazard: 0
NFPA Ratings:	Health: 3	Fire: 0	Reactivity: 0

DATE OF PREPARATION

7-8-15

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.