



**Product name** ClearView Winter Sleeper, Chlorine  
**Kit Part #** WS3500

**Revision date** 1-12-17

ATTACHED –

WS3500

Kit Component SDS's – Qty 3

1. Clearview Mineral Magnet
2. Clearview Poly Power 30
3. Clearview Shimmer Shock

**DATE OF PREPARATION**

**1-12-17**

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

**Product name** ClearView Mineral Magnet**Revision date** 4-18-15**Section 1 Identification**

**Product ID:** Mineral Magnet  
**Synonyms:** HEDP: 1-Hydroxyethylidene-1, 1-diphosphonic acid  
**Product Category:** Phosphonate  
**Product Use:** Stain Remover,  
Removes metals from pool water and metal stains and scale from surfaces.

**Supplier:** Oreq Corporation  
42306 Remington Avenue  
Temecula, CA 92590  
951-296-5076

**Emergency Phone#** Chemtrec: 1-800-424-9300

**Section 2 Hazards identification**

**Acute Toxicity: Oral, Category 4**  
**Skin Corrosion/Irritation, Category 1A-1C**  
**Serious Eye Damage/Eye Irritation, Category 1**  
**Specific Target Organ Toxicity (single exposure), Category 2**

**Warning****Danger****Warning**

**GHS Hazard Phrases:** H302 - Harmful if swallowed.  
H314 - Causes severe skin burns and eye damage.  
H318 - Causes serious eye damage.  
H371 - May cause damage to organs .

**GHS Precaution Phrases:** P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P301+312- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+311 - If exposed or concerned: Call a POISON CENTER/Doctor/...  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment see ... on this label.  
P330 - Rinse mouth.  
P363 - Wash contaminated clothing before reuse.



## SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

### Section 2 Hazards identification (Continued)

**GHS Storage and Disposal Phrases:** P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with all federal, state and local Regulations...

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.  
**Potential Health Effects (Acute and Chronic):** Chronic: None.

**Inhalation:** Material is irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.  
Mist may be severely irritating to nose, throat and lungs depending on concentration and duration of exposure.

**Skin Contact:** Causes skin irritation.  
Skin Absorption: May be harmful if absorbed through the skin.  
Corrosive, causes permanent skin damage (scarring).

**Eye Contact:** Causes severe eye irritation.  
Corrosive. Will cause eye burns and permanent tissue damage.

**Ingestion:** Corrosive to mouth, esophagus and stomach.  
Harmful if swallowed.  
Low order of Toxicity.

### Section 3 Composition / Information on ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	RTECS #
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	32 - 34 %	SZ8562100
13598-36-2	Phosphorous acid, Ortho	<2.0 %	SZ6400000

### Section 4 First - aid measures

**Emergency and First Aid Procedures:** In case of adverse exposure to vapors and/or aerosols, immediately remove the affected victim from exposure and get immediate medical attention. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration.

**In Case of Inhalation:** If inhaled, remove to fresh air. If breathing is difficult, give oxygen.

**In Case of Skin Contact:** In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

**In Case of Eye Contact:** In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

**In Case of Ingestion:** If swallowed, wash out mouth with water provided person is conscious. Call a physician.

**Signs and Symptoms Of Exposure:** The chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

**Note to Physician:** Treat symptomatically and supportively.



## SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

### Section 5 Fire - fighting measures

**Flammability Classification:** non-flammable  
**Flash Pt:** NP  
**Explosive Limits:** LEL: N.A. UEL: N.A.  
**Autoignition Pt:** NP  
**Suitable Extinguishing Media:** Suitable: Water spray.  
**Unsuitable Extinguishing Media:** Unknown.  
**Fire Fighting Instructions:** Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.  
**Flammable Properties and Hazards:** No data available.

### Section 6 Accidental release measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. Evacuate area.  
PROCEDURE(S) OF PERSONAL PRECAUTION(S)  
Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.  
Methods for cleaning up.  
Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Use proper personal protective equipment as indicated in Section 8.  
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

### Section 7 Handling and storage

**Precautions To Be Taken in Handling:** "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of. Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing.  
**Precautions To Be Taken in Storing:** No special storage requirements.

### Section 8 Exposure controls / personal protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	PEL: Not Available	TLV: Not Available	Not Available
13598-36-2	Phosphorous acid, Ortho	PEL: Not Available	TLV: Not Available	Not Available

**Respiratory Equipment (Specify Type):** Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Respirator protection is not normally required.



## SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

### Section 8 Exposure controls / personal protection (Continued)

**Eye Protection:** Splash proof safety goggles.  
**Protective Gloves:** Hand: Compatible chemical-resistant gloves.  
**Other Protective Clothing:** Where splashing is possible, full chemically resistant protective clothing (e.g. acid suit) and boots are required.  
**Engineering Controls (Ventilation etc.):** Safety shower and eye bath. Mechanical exhaust required. There are no special ventilation requirements.  
**Work/Hygienic/Maintenance Practices:** Wash thoroughly after handling.

### Section 9 Physical and chemical properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid  
**Appearance and Odor:** None to slight odor.  
Clear colorless to light straw.  
**Freezing Point:** NA  
**Boiling Point:** NA  
**Decomposition Temperature:** NA  
**Autoignition Pt:** NP  
**Flash Pt:** NP  
**Explosive Limits:** LEL: N.A. UEL: N.A.  
**Specific Gravity (Water = 1):** ~ 1.444 at 25.0 C (77.0 F)  
**Density:** ~ 12.0 LB/GA  
**Bulk density:** NA  
**Vapor Pressure (vs. Air or mm Hg):** NA  
**Vapor Density (vs. Air = 1):** NA  
**Evaporation Rate:** NA  
**Solubility in Water:** Complete  
**Saturated Vapor Concentration:** NA  
**Viscosity:** NA  
**Octanol/Water Partition Coefficient:** Not Available  
**pH:** < 2  
**Percent Volatile:** ~ 38.00 % by weight.  
**VOC / Volume:** NP  
**Particle Size:** NP  
**Heat Value:** NP  
**Corrosion Rate:** NA  
**Molecular Formula & Weight:** C<sub>2</sub>H<sub>8</sub>O<sub>7</sub>P<sub>2</sub> 206.028

### Section 10 Stability and reactivity

**Reactivity:** Substantial heat is evolved when mixed with alkali.  
**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid -** Contact with common metals produces flammable hydrogen gas.



## SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

**Instability:**

### Section 10 Stability and reactivity (Continued)

**Incompatibility - Materials To Avoid:** Strong oxidizing agents and strong alkali.

**Avoid:**

**Hazardous Decomposition Or Byproducts:** Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine. Carbon dioxide.

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:**

No data available.

### Section 11 Toxicological information

**Toxicological Information:**

Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:

CAS# 2809-21-4:

Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 40.00 MG/KG, female 7 day(s) after conception.

Result:

Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea).

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

- Shika Igaku. Odontology., Vol/p/yr: 50,879, 1987

Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 200.0 MG/KG, female 7 day(s) after conception.

Result:

Specific Developmental Abnormalities: Craniofacial (including nose and tongue).

Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).

- Journal of Osaka Dental University., Vol/p/yr: 20,91, 1986

Reproductive Effects:, TDLo, Subcutaneous, Mouse, 200.0 MG/KG, female 13 day(s) after conception.

Result:

Specific Developmental Abnormalities: Musculoskeletal system.

- Teratology, The International Journal of Abnormal Development, Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003, Vol/p/yr: 26(1),16A, 1982

Reproductive Effects:, TDLo, Subcutaneous, Mouse, 1400. MG/KG, female 11-17 day(s) after conception.

Result:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific Developmental Abnormalities: Musculoskeletal system.

- Senten Ijo. Congenital Anomalies., For publisher information, see CGANE7, Osaka Japan, Vol/p/yr: 22,47, 1982

Acute toxicity, LD50, Oral, Mouse, 1800. MG/KG.

Result:

Behavioral: Convulsions or effect on seizure threshold.

Gastrointestinal:Hypermotility, diarrhea.



## SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

Nutritional and Gross Metabolic: Changes in: Body temperature increase.

### Section 11 Toxicological information (Continued)

- Angewandte Chemie, International Edition in English., VCH Pub., Inc., 303 NW 12th Ave., Deerfield Beach, FL 33441, Vol/p/yr: 14,94, 1975

CAS# 13598-36-2:

Acute toxicity, LD50, Oral, Rat, 1895. MG/KG.

Result:

Behavioral: Convulsions or effect on seizure threshold.

Gastrointestinal: Hypermotility, diarrhea.

Nutritional and Gross Metabolic: Changes in: Body temperature increase.

- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 56(4),24, 1991

Acute toxicity, LD50, Oral, Mouse, 1700. MG/KG.

Result:

Behavioral: Tremor.

Behavioral: Muscle contraction or spasticity.

- Toksikologicheskii Vestnik., Vol/p/yr: (6),38, 1995

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	n.a.	n.a.	n.a.	n.a.
13598-36-2	Phosphorous acid, Ortho	n.a.	n.a.	n.a.	n.a.

### Section 12 Ecological information

**Results of PBT and vPvB Assessment:**

No data available.

CAS# 2809-21-4:

LC50, Bluegill (*Lepomis macrochirus*), 868.0 MG/L, 96 H.

LC50, Rainbow Trout (*Oncorhynchus mykiss*), 368.0 MG/L, 96 H.

Effective concentration to {0}% of test organisms., Water Flea (*Daphnia magna*), 527.0 MG/L, 48 H.

CAS# 13598-36-2:

Fathead Minnow (*Pimephales promelas*), 100.0 MG/L, 96 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972

Effective concentration to {0} % of test organisms, Fathead Minnow (*Pimephales promelas*), 10000. MG/L, 4 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972

**Persistence and Degradability:**

Degrades after acclimatization.

**Bioaccumulative Potential: Mobility in Soil:**

This material is not expected to bio-accumulate.

Accidental spillage may lead to penetration in the soil and groundwater. However, there is no evidence that this would cause adverse ecological effects.

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

**Section 13 Disposal considerations**

**Waste Disposal Method:** Discarded product, as sold, would be considered a RCRA Characteristic Hazardous Waste as it meets the definition /characteristic of corrosivity (designated as D002). APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed.

**Waste Disposal Method:** D002

**Section 14 Transport information**

**GHS Classification:** Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed  
 Skin Corrosion/Irritation, Category 1A-1C - Danger! Causes severe skin burns and eye damage  
 Serious Eye Damage/Eye Irritation, Category 1 - Danger! Causes serious eye damage  
 Specific Target Organ Toxicity (single exposure), Category 2 - Warning! May cause damage to organs {<target organs>}

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1, 1-diphosphonic acid)  
**DOT Hazard Class:** 8 - CORROSIVE  
**UN/NA Number:** UN3265 **Packing Group:** II



**LAND TRANSPORT (Canadian TDG):**

**TDG shipping Name:** No information available.

**LAND TRANSPORT (European ADR/RID):**

**ADR/RID Shipping Name:**  
**UN Number:** 3265 **Packing Group:** II  
**Hazard Class:** 8 - CORROSIVE

**MARINE TRANSPORT (IMDG/IMO):**

**IMDG/IMO Shipping Name:** Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1, 1-diphosphonic acid)  
**UN Number:** |N| **Packing Group:** II  
**Hazard Class:** 8 - CORROSIVE

**IMDG MFAG Number:** |

**IMDG EMS Page:** |





# SAFETY DATA SHEET

**Product name** ClearView Mineral Magnet

**Revision date** 4-18-15

**AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1, 1-diphosphonic acid) Solution.

## Section 15 Regulatory information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	No	No	No
13598-36-2	Phosphorous acid, Ortho	No	No	No

**This material meets the EPA**  Yes  No **Acute (immediate) Health Hazard**

**'Hazard Categories' defined**  Yes  No **Chronic (delayed) Health Hazard**

**for SARA Title III Sections**  Yes  No **Fire Hazard**

**311/312 as indicated:**  Yes  No **Sudden Release of Pressure Hazard**

Yes  No **Reactive Hazard**

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
13598-36-2	Phosphorous acid, Ortho	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	Canadian DSL: Yes; Canadian NDSL: No; Mexico INSQ: Yes; Australia ICS: Yes; China IECSC: Yes; Japan ENCS: Yes - (2)-2936; Korea ECL: Yes - KE-20516; Philippines ICCS: Yes; Taiwan TCSCA: Yes; REACH: Yes - (R), (P)
13598-36-2	Phosphorous acid, Ortho	Canadian DSL: Yes; Canadian NDSL: No; Mexico INSQ: Yes; Australia ICS: Yes; China IECSC: Yes; Japan ENCS: Yes - (1)-421; Korea ECL: Yes - KE-28491; Philippines ICCS: Yes; Taiwan TCSCA: Yes; REACH: Yes - (R), (P)

**Regulatory Information Statement:** Regulatory information provided in this SDS was prepared for this product and is to be used only for the product in its present form, If this material is used as a component in another material or altered in any way, the information in this SDS may no longer be applicable. This document was generated for the purpose of distributing health, safety and environmental data.

## Section 16 Other information

**Hazard Rating System:**

HMIS -	<u>HEALTH</u> 3	<u>FLAMMABILITY</u> 0	<u>PHYSICAL</u> 1	<u>PPE</u> Dn
NFPA -	<u>HEALTH</u> 3	<u>FLAMMABILITY</u> 0	<u>INSTABILITY</u> 1	<u>SPECIAL HAZARD</u> ACID

**DATE OF PREPARATION**  
4-18-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



**ClearView™**

## **SAFETY DATA SHEET**

---

**Product name**                      **ClearView Mineral Magnet**

**Revision date**                      **4-18-15**

**Product name** ClearView Poly Power 30**Revision date** 4-29-15**Section 1 Identification**

**Product ID:** Poly Power 30  
**Synonyms:** Polyquaternium 42; Polixetonium chloride; WSCP  
**Chemical Name:** Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride]  
**CAS Number:** 31512-74-0  
**Product Use:** Algacide and Water Clarifier for Swimming pools.

**Supplier:** Oreq Corporation  
42306 Remington Ave.  
Temecula, CA 92532  
951-296-5076

**Emergency Phone#** CHEMTREC 800-424-9300

**Section 2 Hazards identification**

**GHS Classification:** Acute Toxicity: Oral, Category 4  
Aquatic Toxicity (Acute), Category 1

**GHS Signal Word:** **WARNING**

**Hazard Pictograms:**



**GHS Hazard Phrases:** H302 - Harmful if swallowed.  
H400 - Very toxic to aquatic life.

**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.

**GHS Response Phrases:** P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 - Rinse mouth.  
P391 - Collect spillage.

**GHS Storage and Disposal Phrases:** P501 - Dispose of contents/container .in accordance with all federal, state and local regulations...

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Potential Health Effects (Acute and Chronic):** Chronic: None.

**Inhalation:** Prolonged inhalation may be harmful

**Skin Contact:** Prolonged or repeated skin contact may cause irritation.

**Eye Contact:** Contact may cause eye irritation.

**Ingestion:** Harmful if swallowed. If medical advice is needed, have product container or label at hand.

**Product name** ClearView Poly Power 30**Revision date** 4-29-15**Section 3 Composition / Information on ingredients**

CHEMICAL NAME	CAS#	CONCENTRATION	RTECS%
Poly[oxyethylene(dimethylimonio)ethylene(dimethylimonio)ethylene dichloride]	31512-74-0	30%	TR1650000

**Section 4 First - aid measures****Emergency and First Aid Procedures:**

Wash with plenty of soap and water.

**In Case of Inhalation:**

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. IF NOT BREATHING, call 911 and or ambulance, then give artificial respiration.

**In Case of Skin Contact:**

Wash with soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs, seek medical advice/attention.

**In Case of Eye Contact:**

Hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

**In Case of Ingestion:**

If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

**Note to Physician:**

Treat symptomatically and supportively.

**Section 5 Fire - fighting measures****Flammability Classification:**

Non-flammable

**Flash Pt:**

&gt; 212.0 F (100.0 C) Method Used: Cleveland Open Cup

**Explosive Limits:**

LEL: N.A. UEL: N.A.

**Autoignition Pt:**

NA

**Suitable Extinguishing Media:**

Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing Media:**

No information available.

**Fire Fighting Instructions:**

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), &amp; full protective gear. Material will not burn.

**Flammable Properties and Hazards:**

No data available.



# SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

## Section 6 Accidental release measures

**Protective Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate gloves to prevent skin exposure. Wear chemical splash goggles.

**Environmental Precautions:** Avoid release to the environment. This product is toxic to fish and aquatic organisms. Do not discharge into effluent containing this product into lakes, streams, ponds or estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharging. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance call your State Water Board Authority or Regional Office of the EPA.

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. This material will sink and is soluble/dispersible, it is probably not recoverable. Notify the Authorities. Prevent further leakage or spillage if safe to do so.

## Section 7 Handling and storage

**Precautions To Be Taken in Handling:** Do not contaminate water, food, or feed by storage or disposal. Keep container closed when not in use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do NOT reuse empty containers without commercial cleaning or reconditioning.

**Precautions To Be Taken in Storing:** No special storage requirements. Storage Temperature: Ambient. Storage Pressure: Atmospheric.

**Other Precautions:** Spills must be absorbed with sawdust or sand and disposed of in a sanitary landfill. Leaking or damaged drums must be placed in overpack drums for disposal. Do not stack drums more than (4) drums high.

## Section 8 Exposure controls / personal protection

CAS No.	Permissible Exposure Limits					
	OSHA		WISHA		ACGIH (TLV)	
	TWA	STEL	TWA	STEL	TWA	STEL
31512-74-0	No Data	No Data	No Data	No Data	No Data	No Data

**Respiratory Equipment (Specify Type):** Respirator protection is not normally required.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Protective Gloves:** Impervious gloves.

**Other Protective Clothing:** Clothes to prevent skin contact. Protective garments not normally required.

**Engineering Controls (Ventilation etc.):** Ventilation should be provided to control worker exposures and prevent health risks and as necessary to reduce, prevent and control dust, mist, vapor or aerosol generation.



## SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

### Section 8 Exposure controls / personal protection (Continued)

**Work/Hygienic/Maintenance Practices:** Wash thoroughly after handling. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure Controls:** Use adequate ventilation to keep airborne concentrations low. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

### Section 9 Physical and chemical properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid  
**Appearance and Odor:** Light yellow to brown. Mild odor.  
**Melting Point:** NP  
**Boiling Point:** 212.0 F (100.0 C)  
**Decomposition Temperature:** NA  
**Autoignition Pt:** NA  
**Flash Pt:** > 212.0 F (100.0 C) Method Used: Cleveland Open Cup  
**Explosive Limits:** LEL: N.A. UEL: N.A.  
**Specific Gravity (Water = 1):** 1.15 - 1.17 at 25.0 C (77.0 F)  
**Density:** 9.6 - 9.8 LB/GA at 25.0 C (77.0 F)  
**Bulk density:** NA  
**Vapor Pressure (vs. Air or mm Hg):** NA  
**Vapor Density (vs. Air = 1):** NA  
**Evaporation Rate:** NA  
**Solubility in Water:** Soluble  
**Saturated Vapor Concentration:** NA  
**Viscosity:** < 125 CPS at 25.0 C (77.0 F)  
**Octanol/Water Partition Coefficient:** unknown  
**pH:** 6 - 8  
**Percent Volatile:** 40.00 % by weight.  
**VOC / Volume:** NA  
**Particle Size:** NP  
**Heat Value:** NA  
**Corrosion Rate:** NE

### Section 10 Stability and reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** No dangerous reactions are known.  
**Incompatibility – Materials To Avoid:** None known.  
**Hazardous Decomposition Or Byproducts:** No data available. None known.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid-Hazardous Reactions:** No data available.

### Section 11 Toxicological information

**Toxicological Information:** Epidemiology: No data available.  
Teratogenicity: No data available.  
Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:  
CAS# 31512-74-0:  
**Irritation or Corrosion:** Acute toxicity, LD50, Oral, Rat, 1850. MG/KG.  
Result:



## SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

### Section 11 Toxicological information (Continued)

Behavioral: Convulsions or effect on seizure threshold.  
Gastrointestinal:Hypermotility, diarrhea.  
Nutritional and Gross Metabolic:Changes in:Body temperature increase.  
- Farm Chemicals Handbook., Meister Pub., 37841 Euclid Ave., Willoughy, OH 44094,  
Vol/p/yr: -,C326, 1991

Acute toxicity, LD50, Skin, Species: Rabbit, > 2.000 GM/KG.  
Result:  
Liver: Fatty liver degeneration.  
Kidney, Ureter, Bladder:Other changes.  
Blood:Other changes.  
- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann  
Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,201, 1992

**Symptoms related to Toxicological** No data available.

**Characteristics: Chronic Toxicological** No data available.

CAS#	CHEMICAL NAME	NTP	IARC	ACGIH	OSHA
31512-74-0	Poly(oxyethylene(dimethylimino)ethylene(dimethylimino)ethylene dichloride)	NA	NA	NA	NA

### Section 12 Ecological information

**General Ecological Information:** No data available.

**Results of PBT and VPvB assessment:** No information available.  
CAS# 31512-74-0:

LC50, Fathead Minnow (*Pimephales promelas*), larva(e), 353.0 UG/L, 48 H, Mortality;  
The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide  
Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner,  
J.H.J., and P.C. Baumann, 1991

LC50, Rainbow Trout (*Oncorhynchus mykiss*), 44.00 UG/L, 48 H, Mortality, Water  
temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L.

Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (*Dreissena polymorpha*) and  
Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W.  
Fisher, and H. Dabrowska, 1993

LC50, Harlequinfish, Red Rasbora (*Rasbora heteromorpha*), 660.0 UG/L, 24 H,  
Mortality, Water temperature: 20.00 C (68.0 F) C, pH: 8.10, Hardness: 20.00 MG/L;  
Acute Toxicity of 102 Pesticides and Miscellaneous Substances to Fish, Tooby, T.E.,  
P.A. Hursey, and J.S. Alabaster, 1975

LC50, Channel Catfish (*Ictalurus punctatus*), 3350. UG/L, 48 H, Mortality, Water  
temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L.



## SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

### Section 12 Ecological information (Continued)

Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (*Dreissena polymorpha*) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

LC50, Zebra Mussel (*Dreissena polymorpha*), 60000. UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L.

Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (*Dreissena polymorpha*) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

Effective concentration to {0} % of test organisms, Zebra Mussel (*Dreissena polymorpha*), 2000. UG/L, 250 H, Behavior, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.80, Hardness: 100.00 MG/L.

Result:

No loss of equilibrium observed.

- Control of the Biofouling Mollusc, *Dreissena polymorpha* (Bivalvia: Dreissenidae), with Sodium Hypochlorite and with Polyquaternary Ammonia and Benzothiazole Compounds, Martin, I.D., G.L. Mackie, and M.A. Baker, 1993

LC50, Water Flea (*Ceriodaphnia dubia*), neonate, 218.0 UG/L, 48 H, Mortality; The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner, J.H.J., and P.C. Baumann, 1991

**Persistence and Degradability:** No information available.

**Bioaccumulative Potential:** Toxic to aquatic life. Unknown Effect.

**Mobility in Soil:** Unknown Effect.

### Section 13 Disposal considerations

#### Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Discarded product, as sold, would not be considered a RCRA Hazardous Waste. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained and properly bunged, then promptly returned to a drum reconditioner, or properly disposed of.





# SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

## Section 14 Transport information

**GHS Classification:** Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed  
Aquatic Toxicity (Acute), Category 1 - Warning! Very toxic to aquatic life

**LAND TRANSPORT (US DOT):**  
**DOT Proper Shipping Name:** Not regulated as a hazardous material.  
**DOT Hazard Class:**  
**UN/NA Number:**

**LAND TRANSPORT (Canadian TDG):**  
**TDG Shipping Name:** Not regulated as a hazardous material.

**LAND TRANSPORT (European ADR/RID):**  
**ADR/RID Shipping Name:** Not regulated as a hazardous material.  
**UN Number:**  
**Hazard Class:**

**MARINE TRANSPORT (IMDG/IMO):**  
**IMDG/IMO Shipping Name:** Not regulated as a hazardous material.

**AIR TRANSPORT (ICAO/IATA):**  
**ICAO/IATA Shipping Name:** Non-Hazardous for Air Transport.

## Section 15 Regulatory information

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	CHEMICAL NAME	S.302 (EHS)	S.304 RQ	S.313 (TRI)
31512-74-0	Poly[oxyethylene(dimethylimono)ethylene(dimethylimono)ethylene dichloride]	No	No	No

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**  
 Yes  No Acute (immediate) Health Hazard  
 Yes  No Chronic (delayed) Health Hazard  
 Yes  No Fire Hazard  
 Yes  No Sudden Release of Pressure Hazard  
 Yes  No Reactive Hazard

**CAS #** 31512-74-0  
**Hazardous Components (Chemical Name)** Poly(oxyethylene(dimethylimono)ethylene(dimethylimino)ethylene dichloride)  
**Other US EPA or State Lists** CAA HAP, ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No

**CAS #** 31512-74-0  
**Hazardous Components (Chemical Name)** Poly(oxyethylene(dimethylimono)ethylene(dimethylimino)ethylene dichloride)  
**International Regulatory Lists** Canadian DSL: No; Canadian NDSL: No; Mexico INSQ: Yes; Australia ICS: No; China IECSC: Yes; Japan ENCS: No; Korea ECL: Yes - KE-28990; Philippines ICCS: No; Taiwan TCSCA: Yes; REACH: Yes - (P)



## SAFETY DATA SHEET

**Product name** ClearView Poly Power 30

**Revision date** 4-29-15

### Section 15 Regulatory information (Continued)

**Regulatory Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**WARNING**

May be fatal if swallowed or absorbed through the skin

Harmful if inhaled

Causes skin irritation

Causes substantial but temporary eye injury

This pesticide is extremely toxic to fish.

**Regulatory Information Statement:**

Regulatory information provided in this SDS was prepared for this product and is to be used only for the product in its present form. If this material is used as a component in another material or altered in any way, the information in this SDS may no longer be applicable. This document was generated for the purpose of distributing health, safety and environmental data.

### Section 16 Other information

**HMIS RATING**

**HEALTH: 1**

**FLAMMABILITY: 0**

**PHYSICAL HAZARD: 0**

**PPE: B**

**NFPA RATING**

**HEALTH: 1**

**FLAMMABILITY: 0**

**INSTABILITY: 0**

**DATE OF PREPARATION**

**4-29-2015**

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

### Section 1 Identification

**Product ID:** Shimmer Shock

**Chemical Name:** Sodium dichloroisocyanurate dihydrate  
**Synonyms:** Sodium dichlor;; Sodium dichloroisocyanurate dihydrate;  
Sodium Dichloro-S-Triazinetrione Dihydrate; Troclosene sodium

**Chemical Formula:**  $\text{NaCl}_2(\text{NCO})_3 \times 2\text{H}_2\text{O}$   
**CAS Number:** 51580-86-0  
**Product Use:** Fast Acting for Super Chlorination to Control Bacteria & Algae

**Supplier:** Oreq Corporation  
42306 Remington Avenue  
Temecula, CA 92590  
951-296-5076

**Emergency Phone#** Chemtrec: 1-800-424-9300

### Section 2 Hazards identification

**GHS CLASSIFICATION:** Acute Tox. 4, H302 Harmful if swallowed  
Eye Irrit. 2, H319 Causes serious eye irritation  
STOT SE 3, H335 May cause respiratory irritation  
Aquatic Acute 1, H400 - Very toxic to aquatic life  
Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects

**GHS SIGNAL WORD:** DANGER

**HAZARD PICTOGRAMS:**



**Hazard Statement(s)**

H302 - Harmful if swallowed  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H410 - Very toxic to aquatic life with long lasting effects  
EUH031 - Contact with acids liberates toxic gas

**Precautionary Statement(s)**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing

**NFPA Ratings (Scale 0-4)** Health = 2, Fire = 0, Reactivity = 1.  
Special Hazard Warning: OXIDIZER



# SAFETY DATA SHEET

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

## Section 3 Composition / Information on ingredients

Components	Weight %	Index No.	EC No.	EU Classification
SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0	99-100	#613-030-01-7	220-767-7	Acute Tox. 4 H302 Eye Irrit. 2 H319 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 EUH031 (In Accordance with CLP1272/2008) ----- R31 Xi; R36/37 Xn; R22 N; R50/53 (in accordance with DSD67/548/EEC)
SODIUM CHLORIDE 7647-14-5	0-1		231-593-8	None

## Section 4 First - aid measures

- Eye contact** Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 20 minutes. Get medical attention immediately.
- Skin contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Get medical attention immediately.
- Inhalation** In case of inhalation, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary and get medical attention immediately.
- Ingestion** If swallowed, wash mouth thoroughly with plenty of water. Get medical attention immediately.

-----  
NOTE: Never give an unconscious person anything to drink  
-----

### Most important symptoms and effects, acute or delayed

- **Ocular** Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.
- **Dermal** Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent damage.
- **Inhalation** Irritating to the nose, mouth, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage from the corrosive action to the lung.
- **Ingestion** Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.

**Notes to the physician** No specific antidote.  
Treat symptomatically and supportively.  
In case of ingestion DO NOT induce vomiting.  
Probable mucosal damage may contraindicate the use of gastric lavage.

**Medical conditions aggravated by exposure** Asthma, respiratory and cardiovascular disease.



## SAFETY DATA SHEET

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

### Section 5 Fire - fighting measures

**Suitable Extinguishing Media:** Water

**Extinguishing Media Not To Be Used:** Do not use dry chemical extinguisher containing ammonia compounds.

**Unusual Fire and Explosion Hazards:** When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine and CO.

**Fire Fighting Procedure:** Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

### Section 6 Accidental release measures

**Personal precautions** For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear for overhead exposure. For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material. CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

**Methods for cleaning up** Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

#### Environmental precautions

- Soil Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

- Water This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.

- Air Vapors may be suppressed by the use of water fog.

### Section 7 Handling and storage

**Handling** Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin or eyes, wash off with water.

**Storage** Store in a dry, cool, well-ventilated area. away from incompatible materials (see "materials to avoid"). Do not store at temperatures above 60°C/140°F. Product has an indefinite shelf-life limitation.



# SAFETY DATA SHEET

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

## Section 8 Exposure controls / personal protection

### Exposure Limits:

COMPONENTS	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0	Not determined	Not determined
SODIUM CHLORIDE 7647-14-5	Not determined	Not determined

**Ventilation requirements** Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs. Otherwise, ensure good general ventilation.

### Personal protective equipment:

- **Respiratory protection** When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter.

- **Hand protection** Neoprene gloves (0.67 mm)

- **Eye protection** Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles may be required.

- **Skin and body protection** Impervious body covering clothes, boots and neoprene apron.

**Hygiene measures** Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.

## Section 9 Physical and chemical properties

**Appearance** White granules or tablet-form product

**Odor** Mild chlorine-like

**Odor threshold** Not determined

**pH** Not determined

**Melting point/range** Not applicable

**Boiling point/range** Not applicable

**Flash point** Not applicable

**Evaporation rate (ether=1)** Not applicable under standard conditions

**Flammability (solid, gas)** Not determined

**Flammable/Explosion limits** Not determined

**Vapor pressure** Not applicable under standard conditions

**Vapor density** Not applicable under standard conditions

**Relative density** tap density= 0.974 g/mL

pour density= 1.083 g/mL

### Solubility:

- **Solubility in water** 24-25 g/100g

**Partition coefficient (n-octanol/water)** LogP - -0.0056 (estimated)

**Auto-ignition temperature** Not self-ignitable

**Decomposition temperature** Begins to lose 1 mole water at approximately 50°C; second mole water at 95°C; Decomposes at 240-250°C

**Viscosity** Not applicable

**Explosive properties** Not determined

**Oxidising properties** Not oxidizing

**Particle size** Non- inhalable



## SAFETY DATA SHEET

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

### Section 10 Stability and reactivity

<b>Reactivity</b>	Begins to lose one mole of water at approximately 50°C
<b>Stability</b>	Stable under normal conditions
<b>Possibility of hazardous reactions</b>	If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.
<b>Conditions to avoid</b>	Heating above decomposition temperature Do not package in paper or cardboard.
<b>Materials to avoid</b>	Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.
<b>Hazardous decomposition products</b>	Nitrogen trichloride, chlorine, carbon monoxide

### Section 11 Toxicological information

**Acute toxicity:**

- Rat oral LD50	1671 mg/kg
- Rat dermal LD50	>5000 mg/kg
- Dermal irritation (rabbit)	Severe irritant
- Eye irritation (rabbit)	Severe irritant

**Dermal sensitization** Not a sensitizer.

**Immediately Dangerous to Life or Health (IDLH)** No level has been established for the components or the product itself.

**Effects of overexposure : Chronic toxicity** Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.

**Mutagenicity** Not mutagenic in five Salmonella strains with or without metabolic activation.

**Carcinogenicity** Not classified by IARC, OSHA, EPA.  
Not included in NTP 12th Report on Carcinogens

**Reproductive toxicity** Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects.

### Section 12 Ecological information

**Aquatic toxicity :**

- 96 Hour-LC50, Fish	0.22 mg/l (rainbow trout) 0.28 mg/l (bluegill sunfish)
- 48 hour-LC50, Daphnia magna	0.2 mg/l

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

### Section 12 Ecological information (continued)

**Avian toxicity:**

- Oral LD50, Bobwhite quail	730 mg/kg
- Oral LD50, Mallard duck	3300 mg/kg
- Dietary LC50, Mallard duck	>10,000 ppm
- Dietary LC50, Bobwhite quail	>10,000 ppm

**Persistence and degradability** Not readily biodegradable. Rapidly hydrolyses in water into Cyanuric acid

**Bioaccumulative potential** Not expected to bioaccumulate

**Mobility in soil** The degradation product, Cyanuric acid, is weakly adsorbed to and highly mobile in all soils

### Section 13 Disposal considerations

**Waste disposal** Care must be taken to prevent environmental contamination from the use of this material. Dispose of in a safe manner in accordance with local/national regulations.

**Disposal of Packaging** Empty containers should be disposed of in accordance with all applicable laws and regulations.

### Section 14 Transport information

**DOT** Non-Bulk Packaging: Not Regulated under DOT unless transported by Vessel  
Bulk Packaging or Shipment by Vessel: Regulated  
UN No. UN3077  
PROPER SHIPPING NAME: Environmentally Hazardous Substance, Solid, n.o.s.  
(Sodium dichloroisocyanurate dihydrate)  
Class: 9 - Miscellaneous Hazardous Material  
Label: 9  
Marking: Marine Pollutant  
Packing Group: III

Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

**IMDG** UN No. 3077  
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.  
(Sodium Dichloroisocyanurate, dihydrate)  
Class: 9 - Miscellaneous Dangerous Substances and Articles  
Label: 9  
Mark: MARINE POLLUTANT  
Packing Group: III

**ADR/RID** UN No. 3077  
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.  
(Sodium Dichloroisocyanurate, dihydrate)  
Class: 9 - Miscellaneous Dangerous Substances and Articles  
Classification Code: M7  
Hazard identification No: 90  
Packing group: III  
Marking: Environmentally hazardous substance





# SAFETY DATA SHEET

**Product name** ClearView Shimmer Shock

**Revision date** 5-11-15

## Section 14 Transport information (Continued)

**ICAO/IATA** UN No. 3077  
Proper shipping name: Environmentally hazardous substance, solid, n.o.s (Sodium Dichloroisocyanurate, dihydrate)  
Class: 9  
Hazard label(s): Miscellaneous  
Packing group: III  
Marking: Environmentally hazardous substance

## Section 15 Regulatory information

**EU** Reported in EINECS

**- Indication of danger** Harmful, symbol required (Xn)  
Dangerous for the environment, symbol required (N)

**- R Phrases** R 22: Harmful if swallowed.  
R 31: Contact with acids liberates toxic gas.  
Xi; R 36/37: Irritating to eyes and respiratory system.  
R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**- S Phrases** S 8: Keep container dry.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S 41 :In case of fire and/or explosion do not breathe fumes.  
S60: This material and its container must be disposed of as hazardous waste.  
S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

**USA** All the components of this substance are listed on or are exempt from the inventory

**OSHA REGULATORY STATUS:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**FIFRA REGULATIONS:** Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

**Australia** Listed in AICS

**China**  
**- China inventory** Listed  
**Japan** ENCS no. (5)-1043  
ISHL no. (5)-1043

**New Zealand Inventory** Listed in NZIoC

**Philippines** Listed in PICCS

## Section 16 Other information

### DATE OF PREPARATION

5-11-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.