

# KIT SDS

Product name	ClearView Winter Sleeper, Chlorine Free Kit Part # WS3500CF
Revision date	1-12-17
ATTACHED –	
WS3500CF	
Kit Component SDS's – Qty 3	
1. Clearview Mineral Magnet	
2. Clearview Poly Power 30	
3. Clearview Shock Swim Chlor F	Free 15

#### DATE OF PREPARATION

1-12-17

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



# SAFETY DATA SHEET

**ClearView Mineral Magnet** 

Revision date	4-18-15
Section 1 Identifica	ation
Product ID: Synonyms: Product Category: Product Use:	Mineral Magnet HEDP: 1-Hydroxyethlydene-1, 1-diphosphonic acid Phosphonate Stain Remover, Removes metals from pool water and metal stains and scale from surfaces.
	mington Avenue a, CA 92590
Emergency Phone#	Chemtrec: 1-800-424-9300
Section 2 Hazards	identification
Warning Da GHS Hazard Phrases:	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H311 - May cause damage to organs .
GHS Precaution Phrases:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
GHS Response Phrases:	P301+312- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P363 - Wash contaminated clothing before reuse.

Page 1 of 9



Product name	ClearView Mineral Magnet
Revision date	4-18-15
Section 2 Hazards ic	lentification (Continued)
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Dispose of contents/container .in accordance with all federal, state and local Regulations…
OSHA Regulatory Status: Potential Health Effects (Acute and Chronic):	This material is classified as hazardous under OSHA regulations. Chronic: None.
Inhalation:	Material is irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled. Mist may be severely irritating to nose, throat and lungs depending on concentration and <b>d</b> uration of exposure.
Skin Contact:	Causes skin irritation. Skin Absorption: May be harmful if absorbed through the skin. Corrosive, causes permanent skin damage (scarring).
Eye Contact:	Causes severe eye irritation. Corrosive. Will cause eye burns and permanent tissue damage.
Ingestion:	Corrosive to mouth, esophagus and stomach. Harmful if swallowed. Low order of Toxicity.

## Section 3 Composition / Information on ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	RTECS #
2809-21-4	1-Hydroxyethylidene-1,1-diphosphonic acid	32 - 34 %	SZ8562100
13598-36-2	Phosphorous acid, Ortho	<2.0 %	SZ6400000

### Section 4 First - aid measures

Emergency and First Aid Procedures:	In case of adverse exposure to vapors and/or aerosols, immediately remove the affected victim from exposure and get immediate medical attention. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration.
In Case of Inhalation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen.
In Case of Skin Contact:	In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.
In Case of Eye Contact:	In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.
In Case of Ingestion:	If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Signs and Symptoms Of Exposure:	The chemical, physical, and toxicological properties of this product have not been thoroughly investigated.
Note to Physician:	Treat symptomatically and supportively. Page <b>2</b> of <b>9</b>



Product name	ClearView Mineral Magnet
Revision date	4-18-15

### Section 5 Fire - fighting measures

Flammability Classification: Flash Pt: Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Unsuitable Extinguishing Media: Fire Fighting Instructions:	Unknown. Protective Equipment: N to prevent contact with self-contained breathing	UEL: N.A. Wear self-contained brea skin and eyes. Specific H g apparatus in pressure- tective gear. Material wil	Hazard(s): As in any fire, demand, MSHA/NIOSH	wear a
Flammable Properties and Hazards:	No data available.			
Section 6 Accidenta	al release measures			
Steps To Be Taken In Case Material Is Released Or Spilled:	PROCEDURE(S) OF P Wear respirator, chemic Methods for cleaning up Sweep up, place in a ba personal protective equ	FOLLOWED IN CASE OF ERSONAL PRECAUTIC cal safety goggles, rubbe p. ag and hold for waste dis ipment as indicated in S ill with inert material (e.g	DN(S) er boots, and heavy rubb sposal. Avoid raising dus ection 8.	er gloves. st. Use proper
Section 7 Handling	and storage			
Precautions To Be Taken in Handling:	DO NOT PRESSURIZE SUCH CONTAINERS T OTHER SOURCES OF DEATH. Empty drums s returned to a drum reco	ain product residue (liquid E, CUT, WELD, BRAZE, FO HEAT, FLAME, SPAF IGNITION. THEY MAY should be completely dra photitioner, or properly dis ct with eyes, skin, and clo	SOLDER, DRILL, GRIN RKS, STATIC ELECTRIC EXPLODE AND CAUSE ained, properly bunged a sposed of. Avoid breathir	D, OR EXPOSE CITY, OR E INJURY OR ind promptly
Precautions To Be Taken in Storing:	No special storage requ	uirements.		
Section 8 Exposure	controls / personal	protection		
CAS # Partial Chemi	cal Name	<b>OSHA TWA</b> PEL: Not Available	<b>ACGIH TWA</b> TLV: Not Available	Other Limits

Respiratory E	quipment	Use respirators and cor	mponents tested and app	proved under appropriate	government
13598-36-2	Phosphorous a	icid, Ortho	PEL: Not Available	TLV: Not Available	Not Available
2809-21-4	1-Hydroxyethyl acid	idene-1,1-diphosphonic	PEL: Not Available	TLV: Not Available	Not Available

(Specify Type): standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Respirator protection is not normally required.



# **ClearView Mineral Magnet**

**Revision date** 

4-18-15

### Section 8 Exposure controls / personal protection (Continued)

Eye Protection: Protective Gloves: Other Protective Clothing:	Splash proof safety goggles. Hand: Compatible chemical-resistant gloves. Where splashing is possible, full chemically resistant protective clothing (e.g. acid suit) and boots are required.
Engineering Controls (Ventilation etc.):	Safety shower and eye bath. Mechanical exhaust required. There are no special ventilation requirements.
Work/Hygienic/Maintenance Practices:	Wash thoroughly after handling.

# Section 9 Physical and chemical properties

Physical States: Appearance and Odor:	[ ] Gas [ X ] Liquid [ ] Solid None to slight odor. Clear colorless to light straw.
Freezing Point:	NA
Boiling Point:	NA
Decomposition Temperature:	NA
Autoignition Pt:	NP
Flash Pt:	NP
Explosive Limits:	LEL: N.A. UEL: N.A.
Specific Gravity (Water = 1):	~ 1.444 at 25.0 C (77.0 F)
Density:	~ 12.0 LB/GA
Bulk density:	NA
Vapor Pressure (vs. Air or	NA
mm Hg):	
Vapor Density (vs. Air = 1):	NA
Evaporation Rate:	NA
Solubility in Water:	Complete
Saturated Vapor	NA
Concentration:	
Viscosity:	NA
Octanol/Water Partition	
Coefficient:	Not Available
pH:	< 2
Percent Volatile:	~ 38.00 % by weight.
VOC / Volume:	NP
Particle Size:	NP
Heat Value:	NP
Corrosion Rate:	NA
Molecular Formula & Weight:	C2H8O7P2 206.028

## Section 10 Stability and reactivity

Reactivity:	Substantial heat is evolved when mixed with alkali.
Stability:	Unstable [] Stable [X]
Conditions To Avoid -	Contact with common metals produces flammable hydrogen gas.



# **ClearView Mineral Magnet**

**Revision date** 

4-18-15

Instability:

## Section 10 Stability and reactivity (Continued)

Incompatibility - Materials To Avoid:	Strong oxidizing agents and strong alkali.
Hazardous Decomposition Or	Thermal decomposition may produce toxic fumes of phosphorus oxides and/or
Byproducts:	phosphine. Carbon dioxide.
Possibility of Hazardous	Will occur [] Will not occur [X]
Reactions:	
Conditions To Avoid -	No data available.
Hazardous Reactions:	

## Section 11 Toxicological information

Toxicological Information:	Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: CAS# 2809-21-4:
	Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 40.00 MG/KG, female 7 day(s) after conception. Result:
	Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). - Shika Igaku. Odontology., Vol/p/yr: 50,879, 1987
	Reproductive Effects:, TDLo, Intraperitoneal, Mouse, 200.0 MG/KG, female 7 day(s) after conception. Result:
	Specific Developmental Abnormalities: Craniofacial (including nose and tongue). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).
	- Journal of Osaka Dental University., Vol/p/yr: 20,91, 1986 Reproductive Effects:, TDLo, Subcutaneous, Mouse, 200.0 MG/KG, female 13 day(s) after conception. Result:
	Specific Developmental Abnormalities: Musculoskeletal system. - Teratology, The International Journal of Abnormal Development, Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003, Vol/p/yr: 26(1),16A, 1982
	Reproductive Effects:, TDLo, Subcutaneous, Mouse, 1400. MG/KG, female 11-17 day(s) after conception. Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).
	Specific Developmental Abnormalities: Musculoskeletal system. - Senten Ijo. Congenital Anomalies., For publisher information, see CGANE7, Osaka Japan, Vol/p/yr: 22,47, 1982
	Acute toxicity, LD50, Oral, Mouse, 1800. MG/KG. Result: Behavioral: Convulsions or effect on seizure threshold. Gastrointestinal:Hypermotility, diarrhea.



#### **Revision date** 4-18-15 Nutritional and Gross Metabolic:Changes in:Body temperature increase. Section 11 Toxicological information (Continued) - Angewandte Chemie, International Edition in English., VCH Pub., Inc., 303 NW 12th Ave., Deerfield Beach, FL 33441, Vol/p/yr: 14,94, 1975 CAS# 13598-36-2: Acute toxicity, LD50, Oral, Rat, 1895. MG/KG. Result: Behavioral: Convulsions or effect on seizure threshold. Gastrointestinal:Hypermotility, diarrhea. Nutritional and Gross Metabolic:Changes in:Body temperature increase. - Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 56(4),24, 1991 Acute toxicity, LD50, Oral, Mouse, 1700. MG/KG. Result: Behavioral: Tremor. Behavioral: Muscle contraction or spasticity. - Toksikologicheskii Vestnik., Vol/p/yr: (6),38, 1995 CAS# Hazardous Components (Chemical Name) **OSHA** NTP IARC ACGIH 2809-21-4 1-Hydroxyethylidene-1,1-diphosphonic acid n.a. n.a. n.a. n.a. Phosphorous acid, Ortho 13598-36-2 n.a. n.a. n.a. n.a.

#### Section 12 Ecological information

Results of PBT and vPvB Assessment:	No data available. CAS# 2809-21-4: LC50, Bluegill (Lepomis macrochirus), 868.0 MG/L, 96 H. LC50, Rainbow Trout (Oncorhynchus mykiss), 368.0 MG/L, 96 H. Effective concentration to {0}% of test organisms., Water Flea (Daphnia magna), 527.0 MG/L, 48 H. CAS# 13598-36-2: Fathead Minnow (Pimephales promelas), 100.0 MG/L, 96 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972
	Effective concentration to {0} % of test organisms, Fathead Minnow (Pimephales promelas), 10000. MG/L, 4 H, Mortality, Water temperature: 82.00 C (179.6 F) C, pH: 8.50; Toxicity of Photographic Processing Chemicals to Fish, Terhaar, C.J., W.S. Ewell, S.P. Dziuba, and D.W. Fassett, 1972
Persistence and Degradability:	Degrades after acclimatization.
Bioaccumulative Potential: Mobility in Soil:	This material is not expected to bio-accumulate. Accidental spillage may lead to penetration in the soil and groundwater. However, there is no evidence that this would cause adverse ecological effects.

# **ClearView Mineral Magnet**

Page 6 of 9



### **ClearView Mineral Magnet**

**Revision date** 

4-18-15

#### Section 13 Disposal considerations

Waste Disposal Method:	Discarded product, as sold, would be considered a RCRA Characteristic Hazardous Waste as it meets the definition /characteristic of corrosivity (designated as D002). APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.
Waste Disposal Method:	D002

Waste Disposal Method:

#### Section 14 Transport information

**GHS Classification:** Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed Skin Corrosion/Irritation, Category 1A-1C - Danger! Causes severe skin burns and eye damage Serious Eye Damage/Eye Irritation, Category 1 - Danger! Causes serious eye damage Specific Target Organ Toxicity (single exposure), Category 2 - Warning! May cause damage to organs {<target organs>}

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (1-Hydrydroxyelthylidene-1, 1-diphosphonic acid) DOT Hazard Class: 8 - CORROSIVE UN3265 **UN/NA Number:** Packing Group: Ш



LAND TRANSPORT (Canadian TDG): **TDG shipping Name:** No information available.

LAND TRANSPORT (Eur			
ADR/RID Shippii	ng Name:		
UN Number:	3265	Packing Group:	II
Hazard Class:	8 - CORROSIVE		
<b>MARINE TRANSPORT (I</b>	MDG/IMO):		
IMDG/IMO Shipp	ing Name: Corrosive liquid, ac	idic, organic, n.o.s. (1-Hydrox	yethylidene-1, 1-diphosphonic acid)
UN Number:	N	Packing Group:	II.
Hazard Class:	8 - CORROSIVE		
		IMDG MFAG Numbe	ər:

IMDG EMS Page: |



## **ClearView Mineral Magnet**

**Revision date** 

4-18-15

#### AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:

Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1, 1-diphosphonic acid) Solution.

#### Section 15 Regulatory information

CAS # 2809-21-4 13598-36-2 This material 'Hazard Categ	Hazardous Co 1-Hydroxyethy Phosphorous a meets the EPA pories' defined a III Sections dicated:	dments and Reauthorization A mponents (Chemical Name) lidene-1,1-diphosphonic acid acid, Ortho [X] Yes [] No Acute (immediate) [X] Yes [] No Chronic (delayed) [] Yes [X] No Fire Hazard [] Yes [X] No Sudden Release o [] Yes [X] No Reactive Hazard	S. 302 (EHS) No No Health Hazard Health Hazard	<b>S. 304 RQ</b> No No	<b>S. 313 (TRI)</b> No No	
CAS #	Hazardous Co	omponents (Chemical Name)	Other US EPA	or State Lists		
2809-21-4	1-Hydroxyethy	lidene-1,1-diphosphonic acid			DES: No; TSCA: Yes -	
			Inventory; CA I			
13598-36-2	Phosphorous a	acid, Ortho	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
CAS # Hazardous Components (Chemical Name)				Regulatory List	s	
2809-21-4 1-Hydroxyethylidene-1,1-diphosphonic acid				DSL: No; Mexico INSQ: Yes;		
	j j j	· · · · · · · · · · · · · · · · · · ·		•	SC: Yes; Japan ENCS: Yes -	
					516; Philippines ICCS: Yes;	
				A: Yes; REACH:		
13598-36-2	Phosphorous a	acid, Ortho	Canadian DSL: Yes; Canadian NDSL: No; Mexico INSQ: Yes;			
			Australia ICS: Yes; China IECSC: Yes; Japan ENCS: Yes -			
			(1)-421; Korea ECL: Yes - KE-28491; Philippines ICCS: Yes;			
Regulatory In	formation	Pequilatory information provide	Taiwan TCSCA: Yes; REACH: Yes - (R), (P) ed in this SDS was prepared for this product and is to be			
Statement:	Ionnation					
otatement.			in its present form, If this material is used as a component in ed in any way, the information in this SDS may no longer be			
			This document was generated for the purpose of distributing health, safety			
		and environmental data.	0		<b>.</b>	

#### Section 16 Other information

#### Hazard Rating System:

HMIS -	HEALTH	<u>FLAMMABILITY</u>	<u>PHYSICAL</u>	<u>PPE</u>
	3	0	1	Dn
NFPA -	HEALTH	<u>FLAMMABILITY</u>	INSTABILITY	SPECIAL HAZARD
	3	0	1	ACID

#### DATE OF PREPARATION 4-18-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



# **Product name**

# ClearView Mineral Magnet

**Revision date** 

4**-18-15** 



Product name ClearView Poly Power 30				
Revision date 4-29-15				
Section 1 Identification				
Product ID: Synonyms: Chemical Name: CAS Number: Product Use:	Poly Power 30 Polyquaternium 42; Polixetonium chloride; WSCP Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride] 31512-74-0 Algaecide and Water Clarifier for Swimming pools.			
Supplier: Oreq Corporat 42306 Reming Temecula, CA 951-296-5076	iton Ave.			
Emergency Phone#	CHEMTREC 800-424-9300			
Section 2 Hazards identifie	cation			
GHS Classification:	Acute Toxicity: Oral, Category 4 Aquatic Toxicity (Acute), Category 1			
GHS Signal Word:	WARNING			
Hazard Pictograms:				
GHS Hazard Phrases:	H302 - Harmful if swallowed. H400 - Very toxic to aquatic life.			
GHS Precaution Phrases:	P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment.			
GHS Response Phrases:	P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P391 - Collect spillage.			
GHS Storage and Disposal Phrases:	P501 - Dispose of contents/container .in accordance with all federal, state and local regulations			
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.			
Potential Health Effects (Acute and Chronic): Inhalation: Skin Contact: Eye Contact: Ingestion:	Chronic: None. Prolonged inhalation may be harmful Prolonged or repeated skin contact may cause irritation. Contact may cause eye irritation. Harmful if swallowed. If medical advice is needed, have product container or label at			

hand.



**Revision date** 

# **ClearView Poly Power 30**

4-29-15

## Section 3 Composition / Information on ingredients

CHEMICAL NAME	CAS#	CONCENTRATION	RTECS%
Poly[oxyethylene(dimethylimonio)ethylene(dimethylimonio)ethylene	31512-74-0	30%	TR1650000
dichloride]			

## Section 4 First - aid measures

Emergency and First Aid Procedures:	Wash with plenty of soap and water.
In Case of Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. IF NOT BREATHING, call 911 and or ambulance, then give artificial respiration.
In Case of Skin Contact:	Wash with soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs, seek medical advice/attention.
In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.
In Case of Ingestion:	If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
Note to Physician:	Treat symptomatically and supportively.

### Section 5 Fire - fighting measures

Flammability Classification:	Non-flammable
Flash Pt:	> 212.0 F (100.0 C) Method Used: Cleveland Open Cup
Explosive Limits:	LEL: N.A. UEL: N.A.
Autoignition Pt:	NA
Suitable Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable Extinguishing Media:	No information available.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), & full protective gear. Material will not burn.
Flammable Properties and Hazards:	No data available.



Product name	ClearView Poly Power 30
Revision date	4-29-15
Section 6 Accidenta	I release measures
Protective Precautions, Protective Equipment and Emergency Procedures:	Wear appropriate gloves to prevent skin exposure. Wear chemical splash goggles.
Environmental Precautions:	Avoid release to the environment. This product is toxic to fish and aquatic organisms. Do not discharge into effluent containing this product into lakes, streams, ponds or estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharging. Do not discharge effluent containing this product to sewer sytems without previously notifying the local sewage treatment plant authority. For guidance call your State Water Board Authority or Regional Office of the EPA.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. This material will sink and is soluable/dispersable, it is probably not recoverable. Notify the Authorities. Prevent further leakage or spillage if safe to do so.
Section 7 Handling	and storage
Precautions To Be Taken in Handling:	Do not contaminate water, food, or feed by storage or disposal. Keep container closed when not in use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do NOT reuse empty containers without commercial cleaning or reconditioning.
Precautions To Be Taken in Storing:	No special storage requirements. Storage Temperature: Ambient. Storage Pressure: Atmospheric.
Other Precautions:	Spills must be absorbed with sawdust or sand and disposed of in a sanitary landfill. Leaking or damaged drums must be placed in overpack drums for disposal. Do not stack drums more than (4) drums high.
Section 8 Exposure	controls / personal protection
	Permissible Exposure Limits

Permissible Exposure Limits							
	OSHA			WISHA		ACGIH (TLV)	
CAS No.	TWA	STEL	TWA	STEL	TWA	STEL	
31512-74-0	No Data						

**Respiratory Equipment** Respirator protection is not normally required. (Specify Type):

 Eye Protection:
 Wear appropriate protective eyeglasses or chemical safety goggles as described by

 OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

 Protective Gloves:
 Impervious gloves.

**Other Protective Clothing:** Clothes to prevent skin contact. Protective garments not normally required.

Engineering ControlsVentilation should be provided to control worker exposures and prevent health risks and<br/>as necessary to reduce, prevent and control dust, mist, vapor or aerosol generation.



Product name	ClearView Poly Power 30
Revision date	4-29-15
Section 8 Exposu	re controls / personal protection (Continued)
Work/Hygienic/Maintenanc Practices:	Wash thoroughly after handling. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls:	Use adequate ventilation to keep airborne concentrations low. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Section 9 Physica	I and chemical properties
Physical States: Appearance and Odor: Melting Point: Boiling Point: Decomposition Temperatu Autoignition Pt: Flash Pt: Explosive Limits: Specific Gravity (Water = 1 Density: Bulk density: Vapor Pressure (vs. Air or Vapor Density (vs. Air = 1)) Evaporation Rate: Solubility in Water: Saturated Vapor Concentra Viscosity: Octanol/Water Partition Co pH: Percent Volatile: VOC / Volume: Particle Size: Heat Value: Corrosion Rate:	NA         > 212.0 F (100.0 C) Method Used: Cleveland Open Cup         LEL: N.A. UEL: N.A.         ):       1.15 - 1.17 at 25.0 C (77.0 F)         9.6 - 9.8 LB/GA at 25.0 C (77.0 F)         NA         mm Hg):       NA         Soluble         NA          NA          Soluble          125 CPS at 25.0 C (77.0 F)

## Section 10 Stability and reactivity

Conditions To Avoid - Instability: Incompatibility – Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions:	Unstable [] Stable [ X ] No dangerous reactions are known. None known. No data available. None known. Will occur [] Will not occur [ X ] No data available.
--	--

# Section 11 Toxicological information

Toxicological Information:	Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: CAS# 31512-74-0:
Irritation or Corrosion:	Acute toxicity, LD50, Oral, Rat, 1850. MG/KG. Result:



### Product name

### **ClearView Poly Power 30**

**Revision date** 

4-29-15

### Section 11 Toxicological information (Continued)

Behavioral: Convulsions or effect on seizure threshold.
Gastrointestinal:Hypermotility, diarrhea.
Nutritional and Gross Metabolic:Changes in:Body temperature increase.
Farm Chemicals Handbook., Meister Pub., 37841 Euclid Ave., Willoughy, OH 44094, Vol/p/yr: -,C326, 1991
Acute toxicity, LD50, Skin, Species: Rabbit, > 2.000 GM/KG.

Result:

Liver: Fatty liver degeneration.

Kidney, Ureter, Bladder:Other changes.

Blood:Other changes.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,201, 1992

Symptoms related to Toxicological No data available.

Characteristics: Chronic Toxicological No data available.

CAS#	CHEMICAL NAME	NTP	IARC	ACGIH	OSHA
31512-74-0	Poly(oxyethylene(dimethylimino)ethylene(dime	NA	NA	NA	NA
	thylimino)ethylene dichloride)				

### Section 12 Ecological information

**General Ecological** No data available. **Information:** 

Results of PBT and<br/>VPvB assessment:No information available.CAS# 31512-74-0:

LC50, Fathead Minnow (Pimephales promelas), larva(e), 353.0 UG/L, 48 H, Mortality; The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner, J.H.J., and P.C. Baumann, 1991

LC50, Rainbow Trout (Oncorhynchus mykiss), 44.00 UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L. Result: Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

LC50, Harlequinfish, Red Rasbora (Rasbora heteromorpha), 660.0 UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) C, pH: 8.10, Hardness: 20.00 MG/L; Acute Toxicity of 102 Pesticides and Miscellaneous Substances to Fish, Tooby, T.E., P.A. Hursey, and J.S. Alabaster, 1975

LC50, Channel Catfish (Ictalurus punctatus), 3350. UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L.



## **ClearView Poly Power 30**

Revision date

### 4-29-15

### Section 12 Ecological information (Continued)

Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

LC50, Zebra Mussel (Dreissena polymorpha), 60000. UG/L, 48 H, Mortality, Water temperature: 17.00 C (62.6 F) C, pH: 7.70, Hardness: 40.00 MG/L. Result:

Morphological changes.

- Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

Effective concentration to {0} % of test organisms, Zebra Mussel (Dreissena polymorpha), 2000. UG/L, 250 H, Behavior, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.80, Hardness: 100.00 MG/L. Result:

No loss of equilibrium observed.

- Control of the Biofouling Mollusc, Dreissena polymorpha (Bivalvia: Dreissenidae), with Sodium Hypochlorite and with Polyquaternary Ammonia and Benzothiazole Compounds, Martin, I.D., G.L. Mackie, and M.A. Baker, 1993

LC50, Water Flea (Ceriodaphnia dubia), neonate, 218.0 UG/L, 48 H, Mortality; The Acute and Chronic Effects of a Polyquaternary Ammonium Molluscicide Poly[Oxyethylene(Dimethyliminio)Ethylene-(Dimethyliminio)Ethylene Dichloride], Giltner, J.H.J., and P.C. Baumann, 1991

Persistence and Degradability:	No information available.
Bioaccumulative Potential:	Toxic to aquatic life. Unknown Effect.
Mobility in Soil:	Unknown Effect.

### Section 13 Disposal considerations

#### Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Discarded product, as sold, would not be considered a RCRA Hazardous Waste. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained and properly bunged, then promptly returned to a drum reconditioner, or properly disposed of.



Product name	ClearView Poly Power 30
Revision date	4-29-15
Section 14 Transport inform	ation
GHS Classification:	Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed Aquatic Toxicity (Acute), Category 1 - Warning! Very toxic to aquatic life
LAND TRANSPORT (US DOT): DOT Proper Shipping Name: DOT Hazard Class: UN/NA Number:	Not regulated as a hazardous material.
LAND TRANSPORT (Canadian TDG): TDG Shipping Name:	Not regulated as a hazardous material.
LAND TRANSPORT (European ADR/F ADR/RID Shipping Name: UN Number: Hazard Class:	RID): Not regulated as a hazardous material.
MARINE TRANSPORT (IMDG/IMO): IMDG/IMO Shipping Name:	Not regulated as a hazardous material.
AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name:	Non-Hazardous for Air Transport.

### Section 15 Regulatory information

Г

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	CHEMICAL NAME			S.302 (EHS)	S.304 RQ	S.313 (TRI)
31512-74-0	Poly[oxyethylene(dimethylimonio)ethylene(dime nio)ethylene dichloride]		thylimo	No	No	No
'Hazard Cate	al meets the EPA egories' defined tle III Sections ndicated:	[X] Yes [ ] No Acute (immediat [ ] Yes [X] No Chronic (delayed [ ] Yes [X] No Fire Hazard [ ] Yes [X] No Sudden Release [ ] Yes [X] No Reactive Hazard	d) Health	Hazard		
<b>CAS #</b> 31512-74-0	Hazardous Components (Chemical Name) Poly(oxyethylene(dimethylimino)ethylene(dimethyl imino)ethylene dichloride)		Other US EPA or State Lists CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		TSCA: No; CA	
<b>CAS #</b> 31512-74-0	Hazardous Components (Chemical Name) Poly(oxyethylene(dimethylimino)ethylene(dimethyl imino)ethylene dichloride)		Canad Austra Korea	lia ICS: No; China	adian NDSL: No a IECSC: Yes; Ja 3990; Philippines	r; Mexico INSQ: Ye apan ENCS: No; ICCS: No; Taiwar



## **ClearView Poly Power 30**

Revision date

4-29-15

### Section 15 Regulatory information (Continued)

#### Regulatory Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING May be fatal if swallowed or absorbed through the skin Harmful if inhaled Causes skin irritation Causes substantial but temporary eye injury This pesticide is extremely toxic to fish.

#### **Regulatory Information Statement:**

Regulatory information provided in this SDS was prepared for this product and is to be used only for the product in its present form, If this material is used as a component in another material or altered in any way, the information in this SDS may no longer be applicable. This document was generated for the purpose of distributing health, safety and environmental data.

### Section 16 Other information

HMIS RATING HEALTH: 1 FLAMMABILITY: 0 PHYSICAL HAZARD: 0 PPE: B NFPA RATING HEALTH: 1 FLAMMABILITY: 0 INSTABILITY: 0

#### DATE OF PREPARATION 4-29-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



## **Product name**

# **ClearView Chlor Free Shock&Swim 15**

### **Revision date**

6-30-15

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

Product ID: Chemical Name and Synonyms Chemical Formula: Chemical Family: Product Use:	Proprietary Peroxygen Salt	Potassium Monopersulfate Compound Proprietary		
42306 R	rporation emington Ave. la, CA 92532 -5076			
Emergency Telephone#	CHEMTREC 800-424-9300			
Product hazard category	Acute toxicity (Oral) Skin corrosion Serious eye damage/eye irritation	Category 4 Category 1B Category 1		
SIGNAL WORD:	DANGER			
HAZARD PICTOGRAMS:				
measures	<ul> <li>P260- Do not breathe dust or mist.</li> <li>P264- Wash skin thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection</li> <li>P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if y unwell.</li> <li>P301+330+331- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+361+353- IF ON SKIN (or hair): Remove/ Take off immediately all contami clothing. Rinse skin with water/ shower.</li> <li>P304+312- IF INHALED: Remove victim to fresh air and keep comfortable for bree P305+351+338- IF IN EYES: Rinse cautiously with water for several minutes. Re contact lenses, if present and easy to do. Continue rinsing.</li> <li>P307+311- Immediately call a POISON CENTER or doctor/ physician.</li> <li>P362+364- Take off contaminated clothing and wash it before reuse.</li> <li>P405- Store locked up.</li> <li>P501- Dispose of contents/ container to an approved waste disposal plant.</li> </ul>			



# **ClearView Chlor Free Shock&Swim 15**

**Revision date** 

6-30-15

COMPONENT	%	CAS#
Potassium Monopersulfate	45%	70693-62-8
Inert ingredients	55%	Proprietary

The exact formulation is being withheld as a trade secret. While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.12009i), all known hazards are clearly communicated within this document.

General advice :	When symptoms persist or in all cases of doubt seek medical advice.		
Inhalation :	Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.		
Skin contact :	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctore for treatment advice. immediately. Wash contaminated clothing before re-use.		
Eye contact :	Hold Eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Ingestion :	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person.		
Most important: symptoms/effects, acute and delayed	No applicable data available.		
Protection of first-aiders:	No applicable data available.		
Notes to physician :	No applicable da	ita available.	
Suitable extinguishing media Unsuitable extinguishing media:	t	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2)	
Specific hazards :		The product itself does not burn. Hazardous decomposition products Oxygen, Sulphur dioxide, Sulfur trioxide	
Special protective equipment for firefighters:	,	Wear self-contained breathing apparatus and protective suit.	
Further information :	I	No applicable data available.	
		Page <b>2</b> of <b>8</b>	



**Revision date** 

**ClearView Chlor Free Shock&Swim 15** 

6-30-15

	HTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with te PERSONAL PROTECTIVE EQUIPMENT during clean-up.	
Safeguards (Personnel)	Evacuate personnel to safe areas. Use personal protective equipment.	
Environmental precaution	<b>ons :</b> Try to prevent the material from entering drains or water courses.	
Spill Cleanup:	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.	
Accidental Release Mea	<b>sures:</b> Try to prevent the material from entering drains or water courses. Dispose of in accordance with local regulations.	
Handling:	Use only in well-ventilated areas. Do not breathe dust. Avoid dust formation in confined areas. Avoid contact with skin and eyes. Keep away from heat and flame. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice	
Handling (Physical Aspects): Dust explosion class:	No applicable data available. No applicable data available.	
Storage:	Keep in a dry, cool and well-ventilated place. Protect from contamination. Store in original container. Keep away from: Combustible material Never allow product to get in contact with water during storage. Stable under recommended storage conditions.	
Storage period: Storage temperature:	No applicable data available. No applicable data available	
Engineering controls:	Ensure adequate ventilation.	
Personal protective equipmer Respiratory protection:	<u>it</u> When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.	
Hand protection: Eye protection : Skin and body protection:	Material: Impervious gloves Wear safety glasses or coverall chemical splash goggles. Where there is potential for skin contact, have available and wear as appropriate, impervio gloves, apron, pants, jacket, hood and boots. Remove and wash contaminated clothing before re-use.	
Protective measures:	When using do not eat or drink. Do not breathe dust.	
Exposure Guidelines Exposure Limit Values Potassium Monopersulfate-	5	
Pentapotassium bis(per AEL * (DUPONT)	oxymonosulphate) bis(sulphate) 1 mg/m3 15 minute TWA	



### **Product name**

## **ClearView Chlor Free Shock&Swim 15**

**Revision date** 

6-30-15

Dipotassium peroxodisulphate TLV (ACGIH) 0.1 mg/m3 TWA as persulfate Potassium sulfate AEL \* (DUPONT) 10 mg/m3 8 hr. TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

#### Appearance (Physical state, form, colour, etc.)

Form Color	: Solid form, granular : white
Odor	: none
Odor threshold	: No applicable data available.
рН	: 2.1 at 30 g/l 20 °C (68 °F)
Melting point/freezing point	: Melting point
	Decomposes before melting.
Boiling point/boiling range	: Boiling point
	Not applicable
Flash point	: does not flash
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: The product itself does not burn, but it is slightly oxidising (active oxygen
	content ca. 2%).
	The product is not flammable.
Upper explosion limit	: No applicable data available.
Lower explosion limit	: No applicable data available.
Vapor pressure	: < 0.0000017 hPa
Vapour density	: No applicable data available.
Density	: No applicable data available.
Specific gravity (Relative	: 2.35 at 20 °C (68 °F)
density)	
Bulk density	: 1,100 - 1,400 kg/m3
Water solubility	: 297 - 357 g/l at 22 °C (72 °F)
Solubility(ies)	: No applicable data available.
Partition coefficient: n-	: No applicable data available.
octanol/water	
Ignition temperature	: no data available
Auto-ignition temperature	: No applicable data available.
Decomposition temperature	: No applicable data available.
Viscosity	: No applicable data available.
Oxidizing Substance	: The substance or mixture is not classified as oxidizing.

Reactivity: Stability: Stable under recommended storage conditions. Stable under normal conditions.



Product name		ClearView Chlor Free Shock&Swim 15
Revision date		6-30-15
Possibility of hazardous reactions		No applicable data available.
Conditions to avoid:		Temperature > 50 °C (> 122 °F) Avoid extreme heat.
Incompatibility:		Halogenated compounds Cyanides, Heavy metal salts
Hazardous decompos	sition products	: Oxygen , Sulfur dioxide, Sulfur trioxide products
	-	
Potassium Monopers	ulfate	
Monopersulfate compo	und	
Inhalation 4 h Skin irritation Eye irritation: Sensitisation:	:	> 5 mg/l, rat Species: rabbit, Causes burns. Species: rabbit, Severe eye irritation Species: guinea pig, Did not cause sensitization on laboratory animals.
		May cause sensitization of susceptible persons by skin contact or by inhalation of dust.
Pentapotassium bis(pe	roxymonosulpha	ate) bis(sulphate)
Dermal LD50: Oral LD50: Repeated dose toxicity:		<ul> <li>&gt; 11,000 mg/kg, rabbit</li> <li>200 - 2,000 mg/kg, rat Gastrointestinal ulceration Internal bleeding</li> <li>Inhalation</li> <li>Eyes, corneal damage, Reversible</li> <li>Oral</li> <li>Stomach, Pathologic changes</li> </ul>
Mutagenicity: Teratogenicity:	mutagenic effe	genetic damage in cultured bacterial cells., Tests on mammalian cell cultures showed ects., Evidence suggests this substance does not cause genetic damage in animals. showed effects on embryo-fetal development at levels equal to or above those
Dipotassium peroxodis	causing mater ulphate	nar toxicity.
Dermal LD50:		> 10,000 mg/kg , Rabbit
Oral LD50: Repeated dos	e toxicity:	1,130 mg/kg , Rat Oral Rat- NOAEL: 131.5 mg/kgMethod: OECD Test Guideline 407
Carcinogenicity:		No toxicologically significant effects were found. Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects. Information given is based on data obtained from similar substances.
Mutagenicity:		Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Information given is based on data obtained from similar substances.
Reproductive toxicity:		No toxicity to reproduction Animal testing showed no reproductive toxicity. Information given is based on data obtained from similar substances.
Teratogenicity:		Animal testing showed no developmental toxicity. Information given is based on data obtained from similar substances.
Totrologrhanata(2)ldib	udrow poptore	anonium

Tetra[carbonato(2-)]dihydroxypentamagnesium

Oral LD50:

> 2,000 mg/kg , Rat



Product name	ClearView Chlor Free Shock&Swim 15	
Revision date	6-30-15	
Repeated dose toxicity:	Information given is based on data obtained from similar substances. Oral, Rat - 90 d	
	NOAEL: 1,531 mg/kgMethod: OECD Test Guideline 408 No toxicologically significant effects were found., Information given is based on data obtained from similar substances.	
Carcinogenicity:	Not classifiable as a human carcinogen. Information given is based on data obtained from similar substances. Animal testing did not show any carcinogenic effects.	
Mutagenicity:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Evidence suggests this substance does not cause genetic damage in animals. Information given is based on data obtained from similar substances.	
Reproductive toxicity:	No toxicity to reproduction Information given is based on data obtained from similar substances. Animal testing showed no reproductive toxicity.	
Teratogenicity:	Information given is based on data obtained from similar substances. Animal testing showed no developmental toxicity.	

#### Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

#### Potassium Monopersulfate

#### **Aquatic Toxicity**

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

96 h LC50:	Cyprinodon variegatus (sheepshead minnow) 1.09 mg/l Directive 67/548/EEC, Annex V, C.1.
96 h ErC50:	Selenastrum capricornutum (green algae) > 1 mg/l OECD Test Guideline 201
72 h NOEC:	Selenastrum capricornutum (green algae) 0.5 mg/l
48 h EC50:	Daphnia magna (Water flea) 3.5 mg/I OECD Test Guideline 202
37 d:	NOEC Cyprinodon variegatus (sheepshead minnow) 0.222 mg/l
28 d:	NOEC Americamysis bahia (mysid shrimp) 0.267 mg/l

Dipotassium peroxodisulphate

96 h LC50:	Oncorhynchus mykiss (rainbow trout) 76.3 mg/I US EPA Test Guideline OPP 72-1 Information given is based on data obtained from similar substances.
72 h EbC50:	Pseudokirchneriella subcapitata (green algae) 83.7 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
72 h NOEC:	Pseudokirchneriella subcapitata (green algae) 39.2 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
48 h EC50:	Daphnia magna (Water flea) 120 mg/I US EPA Test Guideline OPP 72-2 Information given is based on data obtained from similar substances.

Tetra[carbonato(2-)]dihydroxypentamagnesium

<b>96 h LC50:</b> Pimephales prometas (lathead minnow) 2,120 mg/	96 h LC50:	Pimephales promelas (fathead minnow) 2,120 mg/l
--	------------	---



Product name	ClearView Chlor Free Shock&Swim 15
Revision date	6-30-15
72 h EC50:	Information given is based on data obtained from similar substances. Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
72 h NOEC:	Desmodesmus subspicatus (green algae) 100 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
48 h EC50:	Daphnia magna (Water flea) 140 mg/l Information given is based on data obtained from similar substances.
Physico-chemical removability:	hydrolyses
Environmental Fate	
Dipotassium peroxodisulphate Biodegradability:	Readily biodegradable.
Tetra[carbonato(2-)]dihydroxy Biodegradability:	pentamagnesium The methods for determining biodegradability are not applicable to inorganic substances.
Waste Disposal Methods: Contaminated Packaging:	Dispose of in accordance with local regulations. If recycling is not practicable, dispose of in compliance with local regulations.
DOT	UN-Number: 3260 Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound) Class: 8 Packaging group: II Labeling No.: 8
IATA_C	UN number: 3260 Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound, ) Class: 8 Packaging group: II Labeling No.: 8
IMDG	UN number: 3260 Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Monopersulfate Compound, ) Class: 8 Packaging group: II Labeling No.: 8



# SAFETY DATA SHEET

**ClearView Chlor Free Shock&Swim 15** 

Revision date	6-30-15
TSCA Other regulations	: On the inventory, or in compliance with the inventory : Active Ingredient in this composition is POTASSIUMPEROXYMONOSULFATE, CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%) Active ingredient may also be described by the synonym POTASSIUM MONOPERSULFATE.
SARA 313 Regulated Chemical(s)	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Dipotassium peroxodisulphate
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Dipotassium peroxodisulphate,
Title III hazard Classification	Potassium hydrogensulphate : Acute Health Hazard: Yes Chronic Health Hazard: No Fire: No Reactivity/Physical hazard: No Pressure: No
California Prop. 65 :	Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known

#### DATE OF PREPARATION 6-30-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.