



## Critical Usage Information

---

### ClearView Biozyme

---

The following is only the basic usage directions. Refer to the actual product label for First Aid, Warnings and other statements of use.

#### **DIRECTIONS FOR USE:**

CLEARVIEW™ BIOZYME POOL WATER CLEANER should be added directly into the pool or the circulating system at the rate of one (1) ounce per one thousand (1,000) gallons of pool water, on a weekly basis. CLEARVIEW™ BIOZYME is compatible with all filtration systems and other pool chemicals when they are applied in correct concentration.

#### **DIRECTIONS FOR WINTERIZING POOLS:**

After the pool has been drained to winter level, add six (6) ounces of CLEARVIEW™ BIOZYME to each one thousand (1,000) gallons of pool water. Circulate through system for at least twenty (20) minutes prior to back-flushing. Allowing CLEARVIEW™ BIOZYME to remain in the pool during the dormant period will reduce the need for draining and washing down with hazardous acid cleaners at the beginning of the next season.

#### **DIRECTIONS FOR POOL START UP AFTER WINTER:**

1. Vacuum sweep the pool bottom.
2. Start the circulating and heating system and allow it to operate for twenty-four (24) hours. Allow water temperature to reach 65 Fahrenheit
3. If necessary, brush down exposed pool surfaces with a 20:1 dilution of CLEARVIEW™ BIOZYME.
4. Fill pool to normal depth, add one (1) ounce CLEARVIEW™ BIOZYME for every one thousand (1,000) gallons of pool water.