



Critical Usage Information

ClearView Shimmer N' Shock

ACTIVE INGREDIENT: SODIUM DICHLORO-S-TRIAZINETRIONE-DIHYDRATE - 99%
INERT INGREDIENTS - 1%
Available Chlorine - 55%

The following is only basic usage directions. Refer to the actual product label for First Aid, Warnings and other statements of use.

FOR SWIMMING POOL USE: DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is intended for use in controlling bacteria and algae in swimming pools. ^L This product should be added directly to the surface of circulating water according to the directions. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water. Reentry into treated swimming pools is prohibited above levels of 4 ppm of chlorine.

How to Use: Add dosage of this product during evening hours while filter is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use entire contents when opened. If any granules settle to the bottom of the pool use brush to disperse.

Start Up: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to a range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on the test kit reading. As a guide, for swimming pools addition of 10 ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 4 ppm (mg/L).

Shock Treatment: Super chlorination: In extremely hot weather, when many people use the pool, when water becomes hazy or after heavy rains, a shock dosage of chlorine may be obtained by spreading this product over surface pool water. 14 ounces of this product per 10,000 gallons of pool water provides approximately 6 ppm of chlorine. Note: Do not use pool until chlorine residual falls below 4 ppm.



ClearView™

Critical Usage Information

ClearView Shimmer N' Shock

Maintenance Treatment: Add this product daily or as needed to maintain the free chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water. Weather and usage effect sanitizer levels. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). As a guide for swimming pools, addition of five ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L).